

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**New York State**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	51145.6	576.8	2.3	50150.6	435.6	1.7
Oral cavity and pharynx	1382.0	14.9	0.4	679.2	5.9	0.2
Esophagus	775.2	8.7	0.3	281.8	2.3	0.1
Stomach	1132.4	13.0	0.3	794.6	6.6	0.2
Colorectal	5090.2	58.4	0.7	5336.6	44.3	0.5
Colon excluding rectum	3562.8	41.3	0.6	4015.4	33.1	0.5
Rectum & rectosigmoid	1527.4	17.1	0.4	1321.2	11.2	0.3
Liver / intrahepatic bile duct	1084.8	11.7	0.3	440.0	3.8	0.2
Pancreas	1263.2	14.5	0.4	1394.8	11.4	0.3
Larynx	645.4	7.1	0.2	179.8	1.6	0.1
Lung and bronchus	6818.2	78.2	0.8	6362.8	54.3	0.6
Melanoma of the skin	1702.8	19.0	0.4	1326.0	12.0	0.3
Female breast				14028.0	124.3	0.9
Cervix uteri				919.4	8.6	0.3
Corpus uterus and NOS				3274.4	28.5	0.4
Ovary				1550.0	13.6	0.3
Prostate	14891.6	165.8	1.2			
Testis	522.4	5.5	0.2			
Urinary bladder (incl. in situ)	3594.4	42.2	0.6	1337.4	11.1	0.3
Kidney and renal pelvis	1920.8	21.2	0.4	1165.2	10.2	0.3
Brain and other nervous system	737.0	8.1	0.3	613.6	5.7	0.2
Thyroid	592.4	6.3	0.2	1846.6	17.7	0.4
Hodgkin lymphoma	346.2	3.7	0.2	300.4	3.0	0.2
Non-Hodgkin lymphomas	2234.0	25.0	0.5	2022.2	17.5	0.3
Multiple myeloma	694.8	7.9	0.3	644.2	5.4	0.2
Leukemias	1512.4	17.3	0.4	1199.8	10.4	0.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**  
**New York City**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	17977.4	524.9	3.5	18453.8	390.9	2.5
Oral cavity and pharynx	516.0	14.3	0.6	263.4	5.6	0.3
Esophagus	234.6	6.9	0.4	117.0	2.4	0.2
Stomach	545.8	16.3	0.6	425.8	8.7	0.4
Colorectal	1928.2	57.7	1.2	2088.2	42.9	0.8
Colon excluding rectum	1354.2	41.0	1.0	1557.2	31.8	0.7
Rectum & rectosigmoid	574.0	16.7	0.6	531.0	11.1	0.4
Liver / intrahepatic bile duct	585.4	16.3	0.6	232.4	4.9	0.3
Pancreas	463.6	13.9	0.6	541.8	11.0	0.4
Larynx	247.0	7.0	0.4	66.4	1.4	0.2
Lung and bronchus	2215.4	66.6	1.3	1943.6	40.7	0.8
Melanoma of the skin	430.0	12.3	0.5	389.4	8.3	0.4
Female breast				5108.0	110.1	1.4
Cervix uteri				468.6	10.3	0.4
Corpus uterus and NOS				1265.2	26.9	0.7
Ovary				575.4	12.3	0.5
Prostate	5297.6	154.6	1.9			
Testis	181.8	4.3	0.3			
Urinary bladder (incl. in situ)	1007.8	31.2	0.9	410.8	8.4	0.4
Kidney and renal pelvis	668.6	19.1	0.7	408.0	8.7	0.4
Brain and other nervous system	258.8	7.1	0.4	228.4	5.0	0.3
Thyroid	209.4	5.5	0.3	728.8	16.1	0.5
Hodgkin lymphoma	138.8	3.5	0.3	122.6	2.8	0.2
Non-Hodgkin lymphomas	808.0	22.9	0.7	746.8	15.8	0.5
Multiple myeloma	267.8	8.0	0.4	290.8	6.0	0.3
Leukemias	482.2	14.1	0.6	412.6	8.8	0.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Bronx**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	2709.2	569.0	9.8	2803.4	393.8	6.6
Oral cavity and pharynx	86.6	17.4	1.7	43.0	6.0	0.8
Esophagus	42.4	9.0	1.2	15.8	2.2	0.5
Stomach	72.4	16.0	1.7	66.2	9.1	1.0
Colorectal	281.0	61.3	3.3	331.0	45.9	2.2
Colon excluding rectum	202.6	44.7	2.8	252.0	35.0	1.9
Rectum & rectosigmoid	78.4	16.6	1.7	79.0	11.0	1.1
Liver / intrahepatic bile duct	118.8	23.4	1.9	44.4	6.3	0.8
Pancreas	67.8	14.5	1.6	85.0	11.8	1.1
Larynx	39.2	7.9	1.1	12.6	1.8	0.4
Lung and bronchus	330.6	72.2	3.5	299.6	42.4	2.2
Melanoma of the skin	30.8	6.8	1.1	27.2	3.8	0.6
Female breast				740.2	105.2	3.4
Cervix uteri				92.2	13.2	1.2
Corpus uterus and NOS				188.4	26.7	1.7
Ovary				83.0	11.6	1.1
Prostate	868.6	184.5	5.6			
Testis	19.4	3.1	0.6			
Urinary bladder (incl. in situ)	111.2	25.6	2.2	51.8	7.0	0.9
Kidney and renal pelvis	89.4	18.2	1.7	70.0	9.9	1.0
Brain and other nervous system	37.2	6.8	1.0	31.8	4.4	0.7
Thyroid	19.6	3.7	0.7	81.4	11.5	1.1
Hodgkin lymphoma	20.4	3.3	0.7	22.6	3.1	0.6
Non-Hodgkin lymphomas	124.2	23.9	1.9	125.6	17.6	1.4
Multiple myeloma	47.4	10.1	1.3	60.4	8.5	1.0
Leukemias	76.0	15.3	1.6	71.4	9.9	1.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Crotona - Tremont**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	323.2	606.9	32.8	316.2	386.1	19.6
Oral cavity and pharynx	10.4	17.4	5.1	6.2	7.5	2.7
Esophagus	5.0	10.3	4.4	1.8	2.4	1.6
Stomach	6.8	15.8	6.0	8.6	11.8	3.6
Colorectal	30.6	59.2	10.4	35.8	48.7	7.3
Colon excluding rectum	22.0	43.9	9.1	28.4	39.1	6.6
Rectum & rectosigmoid	8.6	15.3	5.1	7.4	9.6	3.2
Liver / intrahepatic bile duct	17.0	28.0	6.4	6.0	7.8	2.9
Pancreas	7.4	13.9	4.9	7.4	9.8	3.2
Larynx	5.4	9.6	3.8	1.6	1.9	1.4
Lung and bronchus	37.0	72.0	11.4	31.4	40.7	6.5
Melanoma of the skin	0.6	1.1	1.4	1.0	1.6	1.4
Female breast				79.2	92.3	9.3
Cervix uteri				16.0	17.7	4.0
Corpus uterus and NOS				19.6	23.7	4.8
Ovary				9.8	11.0	3.2
Prostate	115.4	231.2	20.7			
Testis	1.2	1.2	1.0			
Urinary bladder (incl. in situ)	9.8	22.7	6.9	5.2	7.8	3.1
Kidney and renal pelvis	9.0	14.9	4.8	9.6	12.0	3.5
Brain and other nervous system	4.0	5.7	2.8	4.2	4.8	2.1
Thyroid	2.2	3.2	1.9	9.8	10.2	2.9
Hodgkin lymphoma	3.2	3.5	1.7	3.8	3.5	1.6
Non-Hodgkin lymphomas	14.8	22.9	5.7	16.4	19.0	4.2
Multiple myeloma	5.4	9.4	4.0	7.6	9.5	3.1
Leukemias	10.6	17.3	5.6	6.4	7.5	2.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Fordham - Bronx Park**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	445.6	576.4	24.7	432.4	377.2	16.1
Oral cavity and pharynx	15.0	19.0	4.4	6.2	5.3	1.9
Esophagus	6.4	8.7	3.1	2.6	2.4	1.3
Stomach	13.8	18.8	4.6	9.8	8.1	2.3
Colorectal	46.6	61.8	8.2	47.2	40.6	5.3
Colon excluding rectum	32.0	42.9	6.8	35.0	30.3	4.6
Rectum & rectosigmoid	14.6	18.8	4.4	12.2	10.3	2.6
Liver / intrahepatic bile duct	20.8	24.6	4.9	9.4	8.3	2.4
Pancreas	9.8	12.8	3.7	14.2	12.2	2.9
Larynx	6.8	8.4	2.9	2.0	1.8	1.1
Lung and bronchus	49.2	68.4	8.8	46.6	42.5	5.5
Melanoma of the skin	4.0	5.8	2.6	4.2	3.6	1.6
Female breast				113.4	99.6	8.3
Cervix uteri				14.4	11.9	2.8
Corpus uterus and NOS				28.4	25.6	4.3
Ovary				10.0	8.8	2.5
Prostate	141.6	191.2	14.4			
Testis	4.4	3.4	1.4			
Urinary bladder (incl. in situ)	15.8	22.7	5.1	7.6	6.8	2.2
Kidney and renal pelvis	16.4	20.9	4.6	8.8	7.8	2.3
Brain and other nervous system	7.8	8.2	2.7	5.8	4.6	1.7
Thyroid	2.6	3.0	1.7	14.6	12.0	2.8
Hodgkin lymphoma	3.0	2.9	1.5	2.6	2.1	1.1
Non-Hodgkin lymphomas	23.2	25.8	4.9	21.6	18.7	3.6
Multiple myeloma	8.0	11.1	3.6	10.0	9.0	2.5
Leukemias	10.0	10.9	3.2	10.6	8.6	2.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007  
High Bridge - Morrisania**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	362.4	650.4	32.2	367.4	417.1	19.3
Oral cavity and pharynx	17.4	29.2	6.5	6.0	6.6	2.4
Esophagus	7.6	13.7	4.6	2.6	3.2	1.7
Stomach	9.6	20.0	6.1	8.4	10.1	3.1
Colorectal	31.8	61.5	10.3	40.8	48.1	6.7
Colon excluding rectum	22.2	44.2	8.8	30.0	35.5	5.7
Rectum & rectosigmoid	9.6	17.2	5.2	10.8	12.6	3.4
Liver / intrahepatic bile duct	19.8	32.8	7.0	9.0	11.2	3.3
Pancreas	6.6	11.4	4.1	10.4	13.0	3.6
Larynx	6.4	9.8	3.5	3.0	3.1	1.6
Lung and bronchus	42.8	81.1	11.5	37.4	43.3	6.3
Melanoma of the skin	1.6	2.8	2.2	0.6	0.6	0.7
Female breast				97.6	109.0	9.8
Cervix uteri				13.8	15.0	3.6
Corpus uterus and NOS				27.4	30.5	5.2
Ovary				8.0	9.4	3.0
Prostate	118.6	224.4	19.2			
Testis	2.6	3.0	1.7			
Urinary bladder (incl. in situ)	9.6	19.8	6.1	8.6	10.5	3.2
Kidney and renal pelvis	11.2	18.2	5.0	10.6	12.0	3.3
Brain and other nervous system	5.0	6.7	3.0	3.4	3.3	1.6
Thyroid	1.6	2.7	2.0	9.6	9.8	2.8
Hodgkin lymphoma	3.2	4.0	2.0	2.4	2.4	1.4
Non-Hodgkin lymphomas	16.2	24.1	5.7	13.8	15.1	3.6
Multiple myeloma	6.4	12.5	4.6	8.6	10.4	3.1
Leukemias	8.8	14.9	4.8	10.8	11.4	3.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Hunts Point - Mott Haven**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	216.6	549.6	35.6	207.0	369.1	22.8
Oral cavity and pharynx	9.2	20.5	6.4	4.0	7.4	3.3
Esophagus	4.2	11.2	5.1	0.8	1.6	1.6
Stomach	6.0	16.4	6.4	5.0	9.6	3.8
Colorectal	23.8	67.6	13.1	24.4	44.9	8.1
Colon excluding rectum	18.0	51.7	11.6	18.4	34.2	7.1
Rectum & rectosigmoid	5.8	15.9	6.1	6.0	10.7	3.9
Liver / intrahepatic bile duct	12.0	25.9	6.9	4.4	8.0	3.4
Pancreas	4.0	10.8	5.2	5.4	10.0	3.8
Larynx	3.0	6.3	3.3	0.6	1.1	1.2
Lung and bronchus	21.2	58.5	12.0	22.4	41.2	7.7
Melanoma of the skin	1.2	3.2	2.9	0.8	1.5	1.5
Female breast				54.0	94.4	11.4
Cervix uteri				9.2	15.8	4.6
Corpus uterus and NOS				14.4	25.2	5.9
Ovary				5.8	9.5	3.5
Prostate	67.4	183.0	20.9			
Testis	1.4	1.7	1.3			
Urinary bladder (incl. in situ)	7.4	22.2	7.7	3.0	6.0	3.1
Kidney and renal pelvis	6.2	14.5	5.6	6.0	10.4	3.8
Brain and other nervous system	2.6	4.4	2.6	1.8	2.9	1.9
Thyroid	1.6	3.0	2.2	5.0	7.9	3.1
Hodgkin lymphoma	2.8	4.5	2.6	2.6	4.3	2.4
Non-Hodgkin lymphomas	11.8	24.7	6.9	7.0	11.8	4.0
Multiple myeloma	4.8	13.8	6.1	3.6	6.6	3.1
Leukemias	8.4	20.0	6.8	6.8	12.3	4.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Kingsbridge - Riverdale**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	249.0	513.7	28.8	308.2	408.1	21.9
Oral cavity and pharynx	7.4	15.6	5.1	5.6	7.6	3.0
Esophagus	3.2	6.6	3.3	2.8	3.0	1.7
Stomach	4.2	8.6	3.7	6.0	7.6	2.9
Colorectal	24.6	49.7	8.9	37.6	41.8	6.5
Colon excluding rectum	17.2	34.0	7.3	29.2	31.9	5.6
Rectum & rectosigmoid	7.4	15.7	5.1	8.4	9.9	3.2
Liver / intrahepatic bile duct	9.8	20.8	5.8	3.2	4.0	2.0
Pancreas	7.2	14.6	4.8	10.8	12.9	3.7
Larynx	2.6	5.5	3.0	0.6	0.6	0.7
Lung and bronchus	31.8	65.3	10.2	35.6	43.6	6.9
Melanoma of the skin	11.0	22.9	6.1	7.4	12.0	4.1
Female breast				80.4	115.4	12.0
Cervix uteri				4.0	7.4	3.3
Corpus uterus and NOS				18.6	27.0	5.7
Ovary				9.8	13.8	4.1
Prostate	70.4	145.0	15.3			
Testis	2.6	5.8	3.2			
Urinary bladder (incl. in situ)	16.8	33.5	7.2	8.6	9.2	3.0
Kidney and renal pelvis	7.2	15.0	5.0	6.6	10.0	3.6
Brain and other nervous system	3.8	8.0	3.6	3.0	4.9	2.6
Thyroid	2.4	5.4	3.1	7.8	13.7	4.5
Hodgkin lymphoma	1.0	2.3	2.0	2.2	4.2	2.5
Non-Hodgkin lymphomas	10.8	22.8	6.1	13.8	18.0	4.6
Multiple myeloma	2.8	5.6	3.0	3.8	4.0	2.0
Leukemias	6.6	13.8	4.8	11.0	14.4	4.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Northeast Bronx**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	468.2	567.3	23.1	511.0	405.9	16.0
Oral cavity and pharynx	9.2	10.9	3.2	6.0	4.8	1.7
Esophagus	6.4	7.8	2.7	2.2	1.5	0.9
Stomach	14.2	17.6	4.1	13.8	9.6	2.3
Colorectal	51.0	63.6	7.8	64.8	49.4	5.5
Colon excluding rectum	39.4	49.1	6.9	51.8	39.4	4.9
Rectum & rectosigmoid	11.6	14.5	3.7	13.0	10.0	2.5
Liver / intrahepatic bile duct	17.8	21.4	4.5	6.2	4.8	1.7
Pancreas	12.2	15.1	3.8	18.8	13.8	2.8
Larynx	3.8	4.4	2.0	1.0	0.7	0.6
Lung and bronchus	56.8	69.4	8.1	46.6	35.3	4.6
Melanoma of the skin	3.6	4.4	2.1	5.0	3.8	1.5
Female breast				140.2	115.2	8.6
Cervix uteri				16.8	14.6	3.2
Corpus uterus and NOS				35.8	28.8	4.3
Ovary				16.4	13.4	2.9
Prostate	174.2	207.3	13.8			
Testis	1.6	2.0	1.4			
Urinary bladder (incl. in situ)	16.4	20.6	4.5	8.2	5.8	1.8
Kidney and renal pelvis	16.4	19.8	4.3	12.0	9.4	2.4
Brain and other nervous system	5.4	6.4	2.4	7.4	6.5	2.1
Thyroid	3.2	3.9	1.9	13.6	12.0	2.9
Hodgkin lymphoma	2.4	2.9	1.6	2.6	2.3	1.3
Non-Hodgkin lymphomas	18.8	22.9	4.7	25.2	20.4	3.6
Multiple myeloma	8.6	10.4	3.1	15.2	11.6	2.6
Leukemias	11.4	13.8	3.6	11.0	8.8	2.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Pelham - Throgs Neck**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	660.0	556.1	19.2	672.2	386.3	13.2
Oral cavity and pharynx	18.4	15.2	3.2	9.0	5.1	1.5
Esophagus	9.8	8.1	2.3	3.0	1.6	0.8
Stomach	18.0	15.9	3.3	15.0	8.4	1.9
Colorectal	74.0	63.7	6.6	80.8	45.1	4.4
Colon excluding rectum	53.2	46.2	5.6	59.6	33.1	3.8
Rectum & rectosigmoid	20.8	17.5	3.4	21.2	12.0	2.3
Liver / intrahepatic bile duct	23.0	18.1	3.3	7.2	4.0	1.3
Pancreas	21.0	17.5	3.4	18.4	10.2	2.1
Larynx	11.4	9.5	2.5	3.8	2.2	1.0
Lung and bronchus	92.8	79.9	7.4	81.2	45.6	4.5
Melanoma of the skin	9.2	8.1	2.4	8.2	4.8	1.5
Female breast				179.2	105.5	7.0
Cervix uteri				18.2	11.1	2.3
Corpus uterus and NOS				44.6	25.8	3.4
Ovary				23.2	13.3	2.4
Prostate	185.8	155.4	10.1			
Testis	5.8	4.1	1.5			
Urinary bladder (incl. in situ)	36.4	32.6	4.8	10.6	5.9	1.6
Kidney and renal pelvis	23.2	19.0	3.5	16.4	9.4	2.0
Brain and other nervous system	8.6	6.8	2.0	6.2	3.6	1.3
Thyroid	6.2	4.8	1.7	21.0	12.9	2.5
Hodgkin lymphoma	4.6	3.4	1.4	6.4	4.0	1.4
Non-Hodgkin lymphomas	29.6	24.1	3.9	28.4	16.3	2.7
Multiple myeloma	11.6	9.8	2.6	12.4	7.1	1.8
Leukemias	20.6	17.5	3.4	15.2	8.7	2.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**  
**Kings (Brooklyn)**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	5227.0	513.0	6.3	5395.4	376.9	4.5
Oral cavity and pharynx	147.2	13.7	1.0	81.4	5.7	0.6
Esophagus	65.2	6.4	0.7	32.6	2.2	0.3
Stomach	178.2	18.0	1.2	146.2	9.9	0.7
Colorectal	623.2	62.5	2.2	661.2	44.9	1.5
Colon excluding rectum	432.0	43.9	1.9	489.2	33.1	1.3
Rectum & rectosigmoid	191.2	18.6	1.2	172.0	11.8	0.8
Liver / intrahepatic bile duct	146.2	13.8	1.0	68.8	4.8	0.5
Pancreas	133.6	13.6	1.0	158.0	10.6	0.7
Larynx	75.0	7.2	0.7	20.0	1.4	0.3
Lung and bronchus	633.4	63.5	2.2	526.6	36.2	1.4
Melanoma of the skin	94.6	9.1	0.8	91.8	6.5	0.6
Female breast				1442.8	102.8	2.4
Cervix uteri				150.6	10.9	0.8
Corpus uterus and NOS				386.4	26.9	1.2
Ovary				163.0	11.5	0.8
Prostate	1572.8	154.2	3.4			
Testis	47.6	3.9	0.5			
Urinary bladder (incl. in situ)	282.8	29.1	1.5	118.6	8.0	0.6
Kidney and renal pelvis	194.4	18.8	1.2	117.4	8.2	0.7
Brain and other nervous system	69.4	6.3	0.7	68.4	5.0	0.5
Thyroid	57.0	5.2	0.6	219.0	16.1	1.0
Hodgkin lymphoma	43.2	3.7	0.5	40.8	3.0	0.4
Non-Hodgkin lymphomas	224.8	21.6	1.3	211.2	14.8	0.9
Multiple myeloma	80.6	8.0	0.8	84.2	5.8	0.6
Leukemias	135.4	13.1	1.0	119.4	8.3	0.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Bedford Stuyvesant - Crown Heights**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	635.0	628.2	22.7	635.0	384.2	13.4
Oral cavity and pharynx	22.2	19.9	3.8	13.0	7.7	1.9
Esophagus	10.0	10.1	2.9	6.6	4.1	1.4
Stomach	18.4	21.1	4.5	16.8	10.4	2.2
Colorectal	61.2	63.4	7.4	85.6	52.7	5.0
Colon excluding rectum	44.6	47.4	6.5	63.8	39.4	4.4
Rectum & rectosigmoid	16.6	16.0	3.6	21.8	13.2	2.5
Liver / intrahepatic bile duct	14.2	13.3	3.2	7.8	4.8	1.5
Pancreas	14.8	15.1	3.6	16.6	10.1	2.2
Larynx	11.4	10.6	2.9	2.2	1.3	0.8
Lung and bronchus	72.8	74.2	7.9	59.0	36.3	4.2
Melanoma of the skin	2.2	2.2	1.4	2.4	1.4	0.8
Female breast				171.0	102.9	6.9
Cervix uteri				26.6	15.7	2.7
Corpus uterus and NOS				54.8	33.2	3.9
Ovary				19.4	11.5	2.3
Prostate	263.4	264.7	14.8			
Testis	3.2	2.4	1.2			
Urinary bladder (incl. in situ)	12.4	13.9	3.6	7.6	4.7	1.5
Kidney and renal pelvis	17.0	15.3	3.3	12.0	7.2	1.8
Brain and other nervous system	6.6	4.9	1.7	5.8	3.5	1.3
Thyroid	4.0	3.4	1.5	17.0	9.9	2.1
Hodgkin lymphoma	6.0	4.4	1.6	5.2	2.9	1.1
Non-Hodgkin lymphomas	22.4	20.3	3.9	21.2	12.7	2.4
Multiple myeloma	12.4	12.7	3.3	15.0	9.3	2.1
Leukemias	9.8	9.1	2.7	11.2	6.7	1.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Bensonhurst - Bay Ridge**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	507.8	479.4	18.7	560.2	396.1	15.3
Oral cavity and pharynx	15.4	14.6	3.3	9.2	6.1	1.8
Esophagus	5.0	4.7	1.8	2.2	1.4	0.9
Stomach	13.2	12.4	3.0	14.4	9.5	2.3
Colorectal	64.0	60.3	6.6	68.0	42.0	4.7
Colon excluding rectum	42.2	39.7	5.4	51.6	31.2	4.0
Rectum & rectosigmoid	21.8	20.6	3.9	16.4	10.8	2.4
Liver / intrahepatic bile duct	17.8	16.7	3.5	6.6	4.4	1.5
Pancreas	11.0	10.4	2.8	16.8	10.6	2.3
Larynx	9.0	8.5	2.5	1.8	1.3	0.9
Lung and bronchus	82.4	77.2	7.5	62.8	41.0	4.7
Melanoma of the skin	14.0	13.6	3.2	14.2	11.2	2.7
Female breast				147.6	111.6	8.3
Cervix uteri				8.2	6.8	2.1
Corpus uterus and NOS				36.2	27.3	4.1
Ovary				13.4	10.0	2.5
Prostate	104.6	97.6	8.4			
Testis	3.8	3.6	1.6			
Urinary bladder (incl. in situ)	41.0	38.5	5.3	17.6	11.1	2.4
Kidney and renal pelvis	21.0	19.9	3.8	14.8	10.1	2.3
Brain and other nervous system	7.0	6.9	2.3	8.6	6.7	2.1
Thyroid	8.0	7.7	2.4	23.0	20.3	3.8
Hodgkin lymphoma	3.4	3.4	1.6	3.2	2.7	1.4
Non-Hodgkin lymphomas	22.4	21.0	3.9	21.6	14.5	2.9
Multiple myeloma	7.8	7.3	2.3	6.4	4.0	1.4
Leukemias	16.0	16.1	3.6	16.0	11.6	2.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007  
Borough Park**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	695.2	495.9	16.6	757.4	415.3	13.6
Oral cavity and pharynx	15.2	10.9	2.4	8.8	4.9	1.5
Esophagus	7.0	5.1	1.7	4.6	2.3	1.0
Stomach	28.4	20.3	3.4	21.4	10.8	2.1
Colorectal	91.8	65.4	6.0	101.4	51.9	4.7
Colon excluding rectum	61.8	44.1	4.9	74.4	37.4	3.9
Rectum & rectosigmoid	30.0	21.4	3.4	27.0	14.6	2.5
Liver / intrahepatic bile duct	22.4	15.7	2.9	10.2	5.2	1.5
Pancreas	21.8	15.4	2.9	23.8	11.0	2.1
Larynx	9.6	6.9	2.0	2.6	1.4	0.8
Lung and bronchus	87.2	63.1	6.0	74.4	38.6	4.0
Melanoma of the skin	18.2	12.8	2.6	14.8	8.5	2.0
Female breast				185.4	109.1	7.2
Cervix uteri				12.2	8.0	2.0
Corpus uterus and NOS				49.6	28.2	3.6
Ovary				27.0	15.5	2.7
Prostate	145.4	106.2	7.8			
Testis	7.8	5.2	1.6			
Urinary bladder (incl. in situ)	50.6	36.6	4.5	20.4	10.2	2.0
Kidney and renal pelvis	31.4	22.4	3.5	15.6	8.5	1.9
Brain and other nervous system	10.4	6.9	1.9	11.0	6.5	1.8
Thyroid	11.4	7.7	2.0	36.0	23.1	3.4
Hodgkin lymphoma	7.4	4.9	1.6	5.2	3.2	1.3
Non-Hodgkin lymphomas	33.4	23.4	3.6	32.4	17.3	2.8
Multiple myeloma	9.8	7.1	2.0	8.6	4.2	1.3
Leukemias	22.0	15.3	2.9	20.8	10.8	2.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Canarsie - Flatlands**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	452.6	545.6	22.8	465.0	384.5	15.7
Oral cavity and pharynx	10.8	12.6	3.4	5.4	4.4	1.7
Esophagus	3.8	4.7	2.1	1.6	1.4	1.0
Stomach	12.6	16.1	4.0	10.4	8.6	2.3
Colorectal	52.4	64.5	7.9	56.0	45.8	5.4
Colon excluding rectum	38.2	47.1	6.8	43.0	35.0	4.7
Rectum & rectosigmoid	14.2	17.5	4.1	13.0	10.8	2.6
Liver / intrahepatic bile duct	8.2	9.8	3.0	5.2	4.2	1.6
Pancreas	10.4	13.5	3.7	16.4	13.2	2.9
Larynx	3.4	4.0	1.9	1.4	1.2	0.9
Lung and bronchus	54.2	65.7	7.9	50.6	40.8	5.1
Melanoma of the skin	6.6	7.9	2.7	5.6	4.7	1.7
Female breast				128.4	106.5	8.3
Cervix uteri				13.0	11.1	2.7
Corpus uterus and NOS				34.2	27.8	4.2
Ovary				14.2	11.9	2.8
Prostate	162.2	192.0	13.4			
Testis	2.2	2.7	1.6			
Urinary bladder (incl. in situ)	27.2	33.9	5.8	6.6	5.4	1.9
Kidney and renal pelvis	19.0	22.8	4.6	11.0	9.0	2.4
Brain and other nervous system	8.4	9.7	3.0	5.0	4.5	1.8
Thyroid	4.6	5.2	2.2	18.0	15.5	3.2
Hodgkin lymphoma	3.6	4.2	1.9	3.8	3.6	1.6
Non-Hodgkin lymphomas	17.6	21.3	4.5	16.6	14.0	3.0
Multiple myeloma	5.6	6.5	2.4	7.8	6.4	2.0
Leukemias	11.2	13.7	3.6	9.0	7.5	2.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Coney Island - Sheepshead Bay**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	852.6	514.5	15.6	932.6	428.4	13.0
Oral cavity and pharynx	16.4	10.4	2.3	12.2	5.5	1.4
Esophagus	9.8	5.8	1.6	4.2	1.5	0.7
Stomach	35.0	20.9	3.1	25.8	10.8	2.0
Colorectal	117.0	69.3	5.6	120.2	48.7	4.1
Colon excluding rectum	79.6	46.7	4.6	89.6	35.5	3.4
Rectum & rectosigmoid	37.4	22.5	3.2	30.6	13.2	2.2
Liver / intrahepatic bile duct	18.4	11.2	2.3	11.2	5.2	1.4
Pancreas	28.2	16.6	2.8	30.2	12.0	2.0
Larynx	13.6	8.1	1.9	3.0	1.3	0.6
Lung and bronchus	117.8	69.9	5.7	95.0	40.1	3.7
Melanoma of the skin	29.4	18.3	3.0	23.8	11.1	2.1
Female breast				237.2	118.6	7.1
Cervix uteri				15.4	9.1	2.1
Corpus uterus and NOS				61.0	28.4	3.3
Ovary				29.6	14.3	2.4
Prostate	172.0	102.0	6.8			
Testis	6.4	4.9	1.7			
Urinary bladder (incl. in situ)	69.0	40.8	4.3	25.2	9.9	1.8
Kidney and renal pelvis	48.0	29.5	3.8	25.4	11.4	2.1
Brain and other nervous system	10.0	6.6	1.9	11.6	6.3	1.7
Thyroid	10.8	7.0	1.9	41.0	23.9	3.4
Hodgkin lymphoma	4.6	3.4	1.4	4.6	3.0	1.3
Non-Hodgkin lymphomas	41.2	25.9	3.6	41.2	18.3	2.7
Multiple myeloma	10.6	6.3	1.7	8.4	3.6	1.1
Leukemias	27.8	16.9	2.8	24.4	11.1	2.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Downtown - Heights - Slope**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	414.0	497.7	22.2	429.6	371.5	15.9
Oral cavity and pharynx	14.0	15.1	3.7	5.6	4.8	1.8
Esophagus	7.2	8.7	2.9	2.4	2.1	1.2
Stomach	12.4	16.4	4.2	7.6	6.6	2.1
Colorectal	46.4	59.3	7.9	48.0	42.4	5.5
Colon excluding rectum	31.6	41.3	6.6	35.2	31.2	4.7
Rectum & rectosigmoid	14.8	18.1	4.2	12.8	11.2	2.8
Liver / intrahepatic bile duct	14.4	15.9	3.8	5.2	4.7	1.8
Pancreas	9.0	11.4	3.4	11.6	10.2	2.7
Larynx	5.4	6.4	2.5	1.8	1.6	1.1
Lung and bronchus	50.0	62.7	8.0	43.0	38.8	5.2
Melanoma of the skin	12.8	12.6	3.3	15.8	12.6	2.8
Female breast				126.4	107.8	8.5
Cervix uteri				9.0	7.7	2.3
Corpus uterus and NOS				29.2	25.4	4.2
Ovary				12.6	11.1	2.8
Prostate	116.4	144.5	12.1			
Testis	9.8	7.9	2.3			
Urinary bladder (incl. in situ)	21.8	28.3	5.5	10.6	9.2	2.5
Kidney and renal pelvis	12.2	14.0	3.6	7.6	6.6	2.1
Brain and other nervous system	5.0	5.2	2.1	5.2	4.3	1.7
Thyroid	6.0	5.5	2.1	18.0	14.7	3.1
Hodgkin lymphoma	4.8	4.0	1.6	3.8	2.7	1.3
Non-Hodgkin lymphomas	17.2	20.5	4.5	15.4	13.5	3.1
Multiple myeloma	8.0	10.7	3.4	5.4	5.0	1.9
Leukemias	9.0	11.2	3.4	8.6	7.7	2.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**  
**East Flatbush - Flatbush**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	620.0	537.8	19.9	601.6	333.4	12.1
Oral cavity and pharynx	13.4	10.3	2.6	9.0	4.8	1.4
Esophagus	6.8	5.3	1.9	3.8	2.3	1.0
Stomach	17.2	16.4	3.7	15.4	9.0	2.0
Colorectal	62.8	56.5	6.6	66.6	37.4	4.1
Colon excluding rectum	47.6	44.3	5.9	47.4	26.7	3.4
Rectum & rectosigmoid	15.2	12.3	2.9	19.2	10.7	2.2
Liver / intrahepatic bile duct	12.6	10.4	2.7	7.4	4.2	1.4
Pancreas	11.8	11.4	3.1	16.6	9.9	2.1
Larynx	6.2	4.9	1.8	1.6	0.8	0.6
Lung and bronchus	46.4	41.0	5.5	45.0	25.8	3.4
Melanoma of the skin	3.4	3.3	1.6	4.8	2.7	1.1
Female breast				181.0	97.4	6.4
Cervix uteri				25.8	13.8	2.4
Corpus uterus and NOS				50.2	27.1	3.4
Ovary				14.4	7.9	1.8
Prostate	301.8	256.3	13.5			
Testis	3.0	2.0	1.0			
Urinary bladder (incl. in situ)	17.2	18.3	4.1	9.0	5.6	1.6
Kidney and renal pelvis	14.0	11.9	3.0	10.4	5.7	1.6
Brain and other nervous system	4.2	3.0	1.3	9.0	5.0	1.5
Thyroid	3.0	2.5	1.3	21.2	11.5	2.2
Hodgkin lymphoma	2.2	1.5	0.9	4.2	2.3	1.0
Non-Hodgkin lymphomas	25.8	21.7	3.9	23.4	13.0	2.4
Multiple myeloma	10.8	9.8	2.8	17.6	10.0	2.1
Leukemias	13.6	11.6	3.0	11.0	6.1	1.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007  
East New York**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	307.2	562.1	29.9	282.0	346.5	18.5
Oral cavity and pharynx	9.8	16.3	4.8	4.6	5.5	2.3
Esophagus	3.4	6.0	3.1	2.8	3.7	2.0
Stomach	10.8	19.2	5.4	7.2	9.6	3.2
Colorectal	33.4	64.8	10.6	30.8	39.7	6.4
Colon excluding rectum	22.0	46.0	9.3	23.6	30.5	5.6
Rectum & rectosigmoid	11.4	18.8	5.1	7.2	9.2	3.1
Liver / intrahepatic bile duct	7.6	12.2	4.0	4.6	5.7	2.4
Pancreas	8.6	17.7	5.7	9.0	12.1	3.6
Larynx	4.2	6.8	3.0	2.2	2.6	1.6
Lung and bronchus	29.2	56.4	9.7	25.8	33.0	5.8
Melanoma of the skin	0.8	1.2	1.2	0.8	1.1	1.1
Female breast				76.8	92.4	9.4
Cervix uteri				15.4	18.5	4.2
Corpus uterus and NOS				22.6	27.2	5.1
Ovary				7.8	9.3	3.0
Prostate	115.8	218.2	18.7			
Testis	1.8	2.2	1.4			
Urinary bladder (incl. in situ)	11.6	26.2	7.3	5.4	7.6	2.9
Kidney and renal pelvis	7.4	12.0	4.1	6.0	7.0	2.6
Brain and other nervous system	4.4	6.3	2.8	2.6	2.8	1.6
Thyroid	1.4	2.0	1.4	8.6	9.5	2.9
Hodgkin lymphoma	3.4	4.9	2.4	1.8	1.8	1.2
Non-Hodgkin lymphomas	11.6	18.3	4.9	12.2	14.7	3.8
Multiple myeloma	7.6	13.2	4.4	4.8	6.1	2.5
Leukemias	7.4	12.3	4.4	4.6	5.6	2.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Greenpoint**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	201.6	436.8	27.8	199.0	322.4	20.2
Oral cavity and pharynx	5.6	11.2	4.2	3.4	5.7	2.7
Esophagus	3.4	7.4	3.6	0.8	1.3	1.3
Stomach	7.4	17.0	5.6	7.0	11.1	3.7
Colorectal	28.6	63.5	10.7	19.4	31.1	6.2
Colon excluding rectum	19.8	45.2	9.1	11.8	18.8	4.8
Rectum & rectosigmoid	8.8	18.3	5.6	7.6	12.4	4.0
Liver / intrahepatic bile duct	8.6	17.6	5.4	3.6	5.8	2.7
Pancreas	6.8	15.6	5.4	6.4	9.9	3.5
Larynx	3.0	6.2	3.2	1.4	2.3	1.7
Lung and bronchus	26.2	61.0	10.7	23.2	37.5	6.8
Melanoma of the skin	3.0	5.1	2.7	4.6	7.1	3.0
Female breast				49.2	82.3	10.4
Cervix uteri				6.0	9.7	3.5
Corpus uterus and NOS				12.2	20.3	5.1
Ovary				5.4	8.5	3.2
Prostate	43.2	98.1	13.3			
Testis	4.0	5.0	2.2			
Urinary bladder (incl. in situ)	10.6	26.7	7.3	6.0	9.9	3.5
Kidney and renal pelvis	7.8	15.9	5.1	3.6	6.0	2.8
Brain and other nervous system	6.2	11.3	4.2	3.0	4.7	2.4
Thyroid	1.6	2.5	1.8	9.8	15.3	4.3
Hodgkin lymphoma	2.4	3.4	1.9	2.6	4.0	2.2
Non-Hodgkin lymphomas	7.8	15.5	5.0	8.0	12.9	4.0
Multiple myeloma	1.2	2.7	2.2	2.6	4.4	2.4
Leukemias	6.6	14.2	5.0	2.4	3.7	2.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Sunset Park**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	209.8	484.6	30.7	209.2	380.0	23.2
Oral cavity and pharynx	9.6	19.6	5.8	4.8	8.5	3.4
Esophagus	2.4	6.0	3.5	1.0	1.8	1.6
Stomach	10.6	23.2	6.4	6.8	12.5	4.2
Colorectal	24.4	58.6	10.9	25.6	47.5	8.3
Colon excluding rectum	16.4	40.5	9.2	19.0	35.6	7.2
Rectum & rectosigmoid	8.0	18.1	5.8	6.6	11.9	4.1
Liver / intrahepatic bile duct	9.8	20.1	5.8	2.6	4.7	2.6
Pancreas	4.8	11.4	4.8	4.2	7.9	3.4
Larynx	2.4	5.4	3.2	0.6	1.2	1.3
Lung and bronchus	29.8	72.4	12.1	18.0	34.3	7.1
Melanoma of the skin	2.2	5.2	3.2	3.2	5.6	2.8
Female breast				52.8	95.5	11.6
Cervix uteri				5.0	9.0	3.5
Corpus uterus and NOS				14.8	26.6	6.1
Ovary				8.0	14.3	4.5
Prostate	43.8	108.0	14.8			
Testis	2.6	3.7	2.0			
Urinary bladder (incl. in situ)	10.6	26.6	7.4	3.6	6.8	3.2
Kidney and renal pelvis	6.4	13.6	4.9	4.0	7.3	3.2
Brain and other nervous system	3.0	5.8	3.1	3.0	5.0	2.5
Thyroid	3.4	6.4	3.1	16.0	27.3	6.0
Hodgkin lymphoma	2.2	3.9	2.4	2.2	3.7	2.2
Non-Hodgkin lymphomas	10.8	23.6	6.6	6.4	11.6	4.0
Multiple myeloma	2.0	4.3	2.8	2.4	4.5	2.6
Leukemias	4.8	9.9	4.2	3.2	5.7	2.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**  
**Williamsburg - Bushwick**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	329.2	540.3	27.5	321.6	353.2	17.4
Oral cavity and pharynx	14.6	22.3	5.3	5.0	5.4	2.1
Esophagus	6.2	10.4	3.8	2.6	2.8	1.5
Stomach	12.2	21.7	5.7	13.4	15.2	3.7
Colorectal	40.6	68.1	9.9	39.2	44.5	6.3
Colon excluding rectum	27.8	47.8	8.3	29.4	33.4	5.4
Rectum & rectosigmoid	12.8	20.3	5.2	9.8	11.0	3.1
Liver / intrahepatic bile duct	12.2	18.6	4.9	4.4	5.1	2.2
Pancreas	6.2	11.4	4.2	6.4	7.2	2.5
Larynx	6.8	10.0	3.4	1.4	1.5	1.1
Lung and bronchus	37.2	63.3	9.5	29.6	33.5	5.4
Melanoma of the skin	2.0	3.2	2.2	1.8	1.8	1.2
Female breast				87.2	95.8	9.0
Cervix uteri				13.8	14.6	3.5
Corpus uterus and NOS				21.6	23.6	4.5
Ovary				11.2	12.0	3.2
Prostate	104.0	177.1	15.9			
Testis	3.0	3.0	1.5			
Urinary bladder (incl. in situ)	10.6	21.6	6.1	6.6	8.0	2.7
Kidney and renal pelvis	10.2	14.8	4.3	7.0	7.6	2.5
Brain and other nervous system	4.2	6.2	2.9	3.6	3.6	1.7
Thyroid	2.8	4.1	2.3	10.4	10.6	2.9
Hodgkin lymphoma	3.2	3.4	1.7	4.2	4.2	1.8
Non-Hodgkin lymphomas	14.2	21.2	5.3	12.6	13.8	3.4
Multiple myeloma	4.8	8.1	3.4	5.2	5.9	2.3
Leukemias	7.2	9.5	3.4	7.6	7.8	2.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**  
**New York (Manhattan)**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	3905.4	553.6	7.9	3963.2	420.9	5.9
Oral cavity and pharynx	125.6	17.0	1.3	54.8	5.9	0.7
Esophagus	53.4	7.6	0.9	28.0	2.9	0.5
Stomach	96.4	14.0	1.3	71.2	7.3	0.8
Colorectal	349.0	50.9	2.4	375.0	38.6	1.8
Colon excluding rectum	248.6	36.8	2.1	280.6	28.7	1.5
Rectum & rectosigmoid	100.4	14.1	1.2	94.4	9.9	0.9
Liver / intrahepatic bile duct	139.8	19.0	1.4	48.2	5.2	0.7
Pancreas	106.0	15.6	1.3	114.0	11.6	1.0
Larynx	49.6	7.1	0.9	13.6	1.5	0.4
Lung and bronchus	461.8	68.2	2.8	437.4	46.3	2.0
Melanoma of the skin	172.8	22.9	1.6	149.0	15.4	1.1
Female breast				1171.0	126.7	3.3
Cervix uteri				75.4	8.1	0.8
Corpus uterus and NOS				248.2	26.6	1.5
Ovary				127.0	13.7	1.1
Prostate	1088.0	154.8	4.2			
Testis	54.4	5.9	0.7			
Urinary bladder (incl. in situ)	206.2	31.3	1.9	87.4	9.0	0.8
Kidney and renal pelvis	137.0	19.3	1.5	74.8	8.0	0.8
Brain and other nervous system	61.2	8.5	1.0	52.6	5.9	0.7
Thyroid	56.4	6.9	0.8	169.6	18.1	1.2
Hodgkin lymphoma	30.6	3.8	0.6	23.4	2.5	0.5
Non-Hodgkin lymphomas	206.2	28.3	1.8	163.0	17.2	1.2
Multiple myeloma	53.4	7.8	0.9	55.6	5.8	0.7
Leukemias	99.6	14.5	1.3	82.4	9.0	0.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Central Harlem - Morningside Heights**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	348.4	596.3	28.4	365.8	411.1	19.0
Oral cavity and pharynx	13.0	21.3	5.2	4.6	5.2	2.2
Esophagus	5.8	10.0	3.7	4.8	5.3	2.1
Stomach	10.2	17.9	5.0	9.6	10.0	2.9
Colorectal	30.8	53.9	8.6	42.2	46.2	6.3
Colon excluding rectum	22.4	39.8	7.5	32.4	35.2	5.5
Rectum & rectosigmoid	8.4	14.1	4.3	9.8	11.1	3.1
Liver / intrahepatic bile duct	15.4	25.1	5.7	5.6	6.3	2.4
Pancreas	8.6	15.3	4.6	11.8	12.5	3.3
Larynx	7.2	12.1	4.0	2.6	3.1	1.7
Lung and bronchus	51.8	90.6	11.1	44.2	50.3	6.7
Melanoma of the skin	2.2	3.4	2.0	2.4	2.7	1.6
Female breast				105.2	121.3	10.4
Cervix uteri				10.8	12.6	3.4
Corpus uterus and NOS				23.4	26.3	4.8
Ovary				11.8	13.4	3.5
Prostate	114.4	201.0	16.7			
Testis	1.4	2.0	1.5			
Urinary bladder (incl. in situ)	11.0	18.8	5.0	5.4	5.4	2.1
Kidney and renal pelvis	11.0	17.6	4.7	7.6	8.1	2.6
Brain and other nervous system	2.0	3.2	2.0	2.6	3.0	1.6
Thyroid	2.8	4.1	2.2	9.2	10.7	3.1
Hodgkin lymphoma	3.0	4.3	2.2	2.4	2.6	1.5
Non-Hodgkin lymphomas	14.6	23.1	5.4	11.8	13.6	3.5
Multiple myeloma	7.6	13.1	4.2	8.2	8.8	2.7
Leukemias	6.6	10.8	3.8	7.0	7.7	2.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Chelsea - Clinton**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	374.6	564.7	26.8	322.4	445.5	22.3
Oral cavity and pharynx	13.4	18.3	4.5	4.8	6.7	2.7
Esophagus	5.2	7.4	2.9	1.4	2.0	1.5
Stomach	6.8	10.4	3.7	4.8	6.2	2.5
Colorectal	31.0	48.3	7.9	27.8	36.5	6.2
Colon excluding rectum	21.6	34.6	6.7	21.2	27.4	5.3
Rectum & rectosigmoid	9.4	13.7	4.1	6.6	9.2	3.2
Liver / intrahepatic bile duct	12.0	16.6	4.3	4.6	6.5	2.7
Pancreas	11.4	18.9	5.0	8.2	10.9	3.4
Larynx	4.0	6.4	2.9	0.2	0.3	0.6
Lung and bronchus	43.0	69.3	9.5	33.6	46.2	7.1
Melanoma of the skin	18.2	26.0	5.8	14.4	19.3	4.6
Female breast				97.2	136.3	12.2
Cervix uteri				5.0	6.9	2.7
Corpus uterus and NOS				19.0	25.7	5.2
Ovary				14.6	20.6	4.9
Prostate	93.6	143.2	13.3			
Testis	8.0	11.7	4.7			
Urinary bladder (incl. in situ)	21.6	35.2	6.9	9.4	12.5	3.6
Kidney and renal pelvis	13.6	19.5	4.8	5.0	7.1	2.8
Brain and other nervous system	5.0	7.1	2.9	5.6	9.0	3.9
Thyroid	4.0	5.1	2.4	14.2	19.6	4.8
Hodgkin lymphoma	4.6	7.7	3.9	2.0	3.0	1.9
Non-Hodgkin lymphomas	21.2	28.1	5.5	12.6	17.3	4.3
Multiple myeloma	4.0	6.7	3.1	5.4	6.9	2.7
Leukemias	7.8	13.4	4.4	5.6	7.9	3.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**East Harlem**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	245.0	579.0	32.8	259.2	408.2	22.5
Oral cavity and pharynx	7.8	18.3	5.8	2.8	4.3	2.3
Esophagus	5.0	11.9	4.7	2.4	3.7	2.1
Stomach	7.8	19.9	6.3	6.6	10.0	3.4
Colorectal	26.2	63.5	11.0	30.6	46.6	7.5
Colon excluding rectum	18.0	44.1	9.2	21.6	33.0	6.3
Rectum & rectosigmoid	8.2	19.4	6.0	9.0	13.7	4.1
Liver / intrahepatic bile duct	15.6	34.9	7.8	3.8	5.6	2.5
Pancreas	6.4	15.7	5.5	9.0	13.2	3.9
Larynx	3.0	7.1	3.6	2.0	3.3	2.1
Lung and bronchus	33.0	78.7	12.1	29.8	45.5	7.4
Melanoma of the skin	1.4	3.4	2.6	3.6	5.6	2.6
Female breast				69.4	112.7	12.0
Cervix uteri				9.8	16.4	4.6
Corpus uterus and NOS				13.2	20.8	5.1
Ovary				6.6	10.3	3.5
Prostate	69.2	168.3	17.8			
Testis	2.2	3.6	2.1			
Urinary bladder (incl. in situ)	7.8	19.4	6.2	4.4	6.6	2.8
Kidney and renal pelvis	9.6	22.7	6.5	6.8	11.1	3.8
Brain and other nervous system	2.2	4.5	2.7	3.0	4.7	2.4
Thyroid	1.8	3.5	2.3	7.0	12.0	4.0
Hodgkin lymphoma	1.6	3.1	2.2	2.6	4.5	2.5
Non-Hodgkin lymphomas	11.4	26.0	6.8	10.6	17.5	4.8
Multiple myeloma	4.0	9.5	4.2	3.8	5.7	2.6
Leukemias	5.6	12.7	4.8	4.0	6.4	2.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Gramercy Park - Murray Hill**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	387.2	585.6	27.1	393.0	460.3	21.0
Oral cavity and pharynx	9.0	13.1	3.9	5.4	6.9	2.9
Esophagus	4.4	6.6	2.8	2.8	3.0	1.6
Stomach	5.4	8.4	3.2	5.0	5.5	2.2
Colorectal	32.2	49.0	7.7	34.2	39.7	6.0
Colon excluding rectum	23.6	36.3	6.6	26.2	30.1	5.2
Rectum & rectosigmoid	8.6	12.7	3.8	8.0	9.6	3.0
Liver / intrahepatic bile duct	9.6	15.0	4.8	2.0	2.3	1.4
Pancreas	11.6	17.3	4.5	11.4	12.7	3.3
Larynx	4.0	5.9	2.6	1.4	1.4	1.1
Lung and bronchus	41.6	63.9	8.8	48.4	55.4	7.1
Melanoma of the skin	27.6	38.8	6.6	24.4	27.7	5.1
Female breast				123.6	148.3	11.9
Cervix uteri				3.6	3.5	1.7
Corpus uterus and NOS				20.8	24.3	4.7
Ovary				13.4	15.4	3.7
Prostate	103.2	149.7	13.0			
Testis	6.6	8.5	3.2			
Urinary bladder (incl. in situ)	23.8	37.6	6.8	11.4	12.7	3.3
Kidney and renal pelvis	14.8	22.4	5.1	5.6	6.7	2.5
Brain and other nervous system	9.2	19.2	6.6	5.6	7.8	3.6
Thyroid	6.4	8.6	3.0	15.6	18.0	4.1
Hodgkin lymphoma	3.0	4.6	2.4	1.2	2.2	2.2
Non-Hodgkin lymphomas	23.8	36.3	7.0	15.0	17.0	3.9
Multiple myeloma	4.6	7.1	2.9	4.0	4.7	2.1
Leukemias	10.8	17.0	4.7	8.0	9.5	3.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Greenwich Village - Soho**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	211.2	503.0	31.4	182.6	388.6	25.8
Oral cavity and pharynx	7.0	15.1	5.2	3.2	7.6	4.0
Esophagus	2.8	6.7	3.6	1.2	2.6	2.1
Stomach	3.8	9.3	4.3	3.4	6.9	3.3
Colorectal	20.0	48.6	9.8	15.6	33.3	7.5
Colon excluding rectum	13.0	33.4	8.3	12.4	26.6	6.7
Rectum & rectosigmoid	7.0	15.3	5.2	3.2	6.7	3.3
Liver / intrahepatic bile duct	6.4	14.8	5.3	1.6	4.3	3.1
Pancreas	5.2	13.0	5.1	4.2	9.0	3.9
Larynx	2.0	4.9	3.1	1.0	2.2	2.0
Lung and bronchus	28.6	73.3	12.3	21.0	45.9	8.8
Melanoma of the skin	11.6	22.5	6.0	8.8	17.3	5.2
Female breast				55.4	116.5	13.8
Cervix uteri				2.8	5.6	3.0
Corpus uterus and NOS				11.4	23.8	6.2
Ovary				4.6	9.7	4.0
Prostate	51.6	120.3	15.0			
Testis	3.0	5.5	3.2			
Urinary bladder (incl. in situ)	12.2	33.1	8.6	3.2	7.3	3.6
Kidney and renal pelvis	8.0	18.7	5.9	3.6	8.0	3.9
Brain and other nervous system	3.4	7.8	4.1	3.8	9.5	4.8
Thyroid	3.2	6.4	3.2	10.2	20.8	5.8
Hodgkin lymphoma	1.0	2.2	2.0	0.8	1.5	1.5
Non-Hodgkin lymphomas	9.6	20.7	6.0	9.0	18.4	5.5
Multiple myeloma	2.4	6.1	3.5	2.0	4.3	2.7
Leukemias	7.2	19.9	7.0	4.0	9.1	4.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Lower Manhattan**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	75.8	505.0	52.8	78.6	399.6	40.2
Oral cavity and pharynx	3.6	22.3	10.6	1.0	5.1	4.5
Esophagus	1.2	10.0	8.1	0.2	0.9	1.7
Stomach	1.4	10.2	7.7	1.0	4.3	3.8
Colorectal	5.8	44.0	16.3	9.2	45.3	13.3
Colon excluding rectum	4.4	33.2	14.1	6.6	32.3	11.2
Rectum & rectosigmoid	1.4	10.7	8.1	2.6	13.0	7.2
Liver / intrahepatic bile duct	3.8	23.6	11.2	1.2	6.6	5.4
Pancreas	1.2	8.7	7.1	2.8	13.6	7.2
Larynx	0.4	3.0	4.2	0.0	0.0	0.0
Lung and bronchus	11.4	83.8	22.3	8.6	44.1	13.3
Melanoma of the skin	4.2	20.7	9.3	4.4	19.2	8.2
Female breast				22.0	116.3	21.9
Cervix uteri				0.6	2.8	3.2
Corpus uterus and NOS				5.4	29.0	11.1
Ovary				2.4	12.3	7.0
Prostate	18.4	131.8	27.5			
Testis	2.8	10.2	5.5			
Urinary bladder (incl. in situ)	2.8	20.8	11.2	1.0	5.0	4.5
Kidney and renal pelvis	2.0	13.1	8.3	1.6	7.7	5.5
Brain and other nervous system	1.2	8.3	6.8	1.6	8.5	6.2
Thyroid	1.6	8.7	6.5	4.0	19.9	8.9
Hodgkin lymphoma	0.8	4.7	5.1	0.4	2.0	2.8
Non-Hodgkin lymphomas	4.0	24.1	11.1	2.2	11.7	7.0
Multiple myeloma	1.2	8.1	6.6	1.2	5.7	4.7
Leukemias	1.2	7.7	6.3	1.0	5.2	4.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Union Square - Lower East Side**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	523.0	571.1	22.1	471.0	394.1	16.2
Oral cavity and pharynx	23.4	25.1	4.6	7.6	6.2	2.0
Esophagus	5.8	6.2	2.3	2.0	1.6	1.0
Stomach	23.4	26.0	4.7	12.4	10.0	2.5
Colorectal	52.8	58.9	7.2	50.6	40.3	5.0
Colon excluding rectum	37.2	41.9	6.1	38.8	30.7	4.4
Rectum & rectosigmoid	15.6	17.0	3.8	11.8	9.6	2.5
Liver / intrahepatic bile duct	35.0	36.6	5.5	10.8	9.0	2.4
Pancreas	13.0	14.5	3.5	12.2	9.2	2.4
Larynx	6.8	7.6	2.6	2.0	1.8	1.1
Lung and bronchus	68.8	78.1	8.3	57.2	46.8	5.5
Melanoma of the skin	11.0	10.9	2.9	10.8	9.1	2.5
Female breast				118.2	101.5	8.3
Cervix uteri				9.8	9.0	2.5
Corpus uterus and NOS				31.0	26.7	4.2
Ovary				13.2	11.3	2.8
Prostate	113.6	127.0	10.5			
Testis	8.6	7.1	2.2			
Urinary bladder (incl. in situ)	26.2	29.9	5.2	9.4	7.6	2.2
Kidney and renal pelvis	18.0	20.3	4.2	9.8	8.1	2.3
Brain and other nervous system	8.2	8.9	2.8	7.0	6.7	2.3
Thyroid	9.6	9.2	2.6	23.8	20.7	3.8
Hodgkin lymphoma	3.8	3.4	1.6	2.8	2.5	1.3
Non-Hodgkin lymphomas	24.4	25.6	4.6	19.8	16.0	3.2
Multiple myeloma	5.8	6.5	2.4	6.0	4.9	1.8
Leukemias	11.6	12.5	3.3	11.0	9.7	2.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**  
**Upper East Side**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	652.4	616.7	21.7	740.4	508.4	17.0
Oral cavity and pharynx	19.0	17.0	3.5	8.8	6.3	2.0
Esophagus	7.6	7.3	2.4	6.0	4.0	1.4
Stomach	10.4	9.9	2.7	7.6	5.1	1.6
Colorectal	55.6	53.1	6.3	50.4	31.9	4.0
Colon excluding rectum	42.4	40.9	5.6	37.4	23.6	3.5
Rectum & rectosigmoid	13.2	12.2	3.0	13.0	8.3	2.1
Liver / intrahepatic bile duct	10.2	9.4	2.6	4.6	3.0	1.3
Pancreas	22.2	21.2	4.0	19.6	12.7	2.6
Larynx	8.4	7.8	2.4	0.8	0.6	0.5
Lung and bronchus	65.2	63.2	7.0	88.6	59.3	5.6
Melanoma of the skin	60.0	56.7	6.7	42.8	30.9	4.5
Female breast				238.8	165.2	9.5
Cervix uteri				8.2	5.4	1.7
Corpus uterus and NOS				53.4	36.3	4.4
Ovary				23.4	16.2	3.1
Prostate	175.4	158.2	10.6			
Testis	9.2	9.5	3.1			
Urinary bladder (incl. in situ)	45.0	43.8	5.8	22.0	14.1	2.7
Kidney and renal pelvis	23.8	22.2	4.1	11.4	7.7	2.1
Brain and other nervous system	11.6	11.6	3.2	8.2	6.3	2.1
Thyroid	13.4	12.2	3.0	32.6	24.7	4.1
Hodgkin lymphoma	4.0	4.4	2.2	3.4	2.3	1.2
Non-Hodgkin lymphomas	34.6	32.8	5.0	30.4	21.0	3.5
Multiple myeloma	8.0	7.8	2.5	6.4	4.2	1.5
Leukemias	21.4	21.8	4.3	13.4	9.8	2.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**  
**Upper West Side**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	565.0	534.4	20.1	649.2	452.8	16.0
Oral cavity and pharynx	14.0	12.0	2.9	9.6	6.5	1.9
Esophagus	8.6	7.8	2.4	4.4	2.8	1.2
Stomach	13.2	13.4	3.3	8.8	5.8	1.7
Colorectal	49.6	47.3	6.0	54.2	35.4	4.3
Colon excluding rectum	35.6	34.2	5.1	38.8	25.0	3.6
Rectum & rectosigmoid	14.0	13.1	3.1	15.4	10.5	2.4
Liver / intrahepatic bile duct	12.8	11.8	2.9	4.8	3.4	1.4
Pancreas	12.6	12.3	3.1	18.8	12.3	2.6
Larynx	4.8	4.5	1.8	1.8	1.2	0.8
Lung and bronchus	62.8	61.7	6.9	63.0	43.3	4.9
Melanoma of the skin	28.8	25.3	4.3	33.0	23.5	3.7
Female breast				203.6	143.9	9.0
Cervix uteri				9.4	6.5	1.9
Corpus uterus and NOS				43.2	30.4	4.1
Ovary				20.6	15.5	3.1
Prostate	171.0	158.2	10.8			
Testis	8.8	8.0	2.5			
Urinary bladder (incl. in situ)	33.6	34.1	5.2	11.8	8.0	2.1
Kidney and renal pelvis	19.4	17.9	3.6	12.4	8.5	2.1
Brain and other nervous system	10.0	10.1	2.9	9.0	6.9	2.1
Thyroid	10.0	7.9	2.2	33.0	24.0	3.7
Hodgkin lymphoma	3.4	3.4	1.7	3.4	2.5	1.2
Non-Hodgkin lymphomas	35.2	33.6	5.1	29.0	20.2	3.5
Multiple myeloma	6.0	5.9	2.1	7.0	4.8	1.6
Leukemias	14.8	15.0	3.6	13.2	10.0	2.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Washington Heights - Inwood**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	502.4	499.9	20.1	488.0	331.9	13.3
Oral cavity and pharynx	14.8	14.1	3.3	7.0	4.8	1.6
Esophagus	6.8	7.0	2.4	2.8	1.9	1.0
Stomach	13.8	13.7	3.3	11.6	8.0	2.1
Colorectal	43.6	44.3	6.0	59.4	39.5	4.5
Colon excluding rectum	29.0	30.0	5.0	44.4	29.3	3.9
Rectum & rectosigmoid	14.6	14.3	3.4	15.0	10.2	2.3
Liver / intrahepatic bile duct	17.6	17.6	3.8	8.0	5.6	1.7
Pancreas	13.4	14.3	3.5	15.6	10.6	2.4
Larynx	8.8	8.8	2.7	1.8	1.2	0.8
Lung and bronchus	54.0	57.1	7.0	41.4	28.5	3.9
Melanoma of the skin	6.4	6.4	2.3	4.4	3.1	1.3
Female breast				133.6	91.6	7.0
Cervix uteri				15.2	10.3	2.3
Corpus uterus and NOS				26.6	18.1	3.1
Ovary				16.4	11.2	2.4
Prostate	171.8	171.7	11.7			
Testis	3.6	2.5	1.2			
Urinary bladder (incl. in situ)	21.0	22.8	4.5	9.4	6.2	1.8
Kidney and renal pelvis	16.2	15.5	3.5	11.0	7.6	2.0
Brain and other nervous system	8.2	7.1	2.2	6.2	4.2	1.5
Thyroid	3.4	2.6	1.2	20.0	13.5	2.7
Hodgkin lymphoma	5.4	4.2	1.6	4.4	2.9	1.2
Non-Hodgkin lymphomas	26.0	23.4	4.1	22.0	15.1	2.8
Multiple myeloma	9.6	10.0	2.9	10.6	7.3	2.0
Leukemias	12.0	11.7	3.1	14.6	10.0	2.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Queens**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	4929.4	486.3	6.1	5067.4	371.0	4.6
Oral cavity and pharynx	125.4	11.7	0.9	69.0	5.0	0.5
Esophagus	60.4	6.0	0.7	33.0	2.3	0.4
Stomach	172.0	17.0	1.1	122.2	8.7	0.7
Colorectal	551.2	55.1	2.1	603.0	42.2	1.5
Colon excluding rectum	384.0	38.7	1.7	447.4	31.1	1.3
Rectum & rectosigmoid	167.2	16.5	1.1	155.6	11.1	0.8
Liver / intrahepatic bile duct	148.2	13.9	1.0	61.6	4.5	0.5
Pancreas	124.8	12.5	1.0	151.2	10.3	0.7
Larynx	64.0	6.1	0.7	14.8	1.1	0.2
Lung and bronchus	618.8	62.3	2.2	525.0	37.7	1.5
Melanoma of the skin	96.8	9.6	0.9	92.6	6.8	0.6
Female breast				1410.0	105.7	2.5
Cervix uteri				123.2	9.6	0.8
Corpus uterus and NOS				359.4	26.5	1.2
Ovary				172.2	12.9	0.9
Prostate	1447.6	142.5	3.3			
Testis	46.6	3.9	0.5			
Urinary bladder (incl. in situ)	312.8	32.3	1.6	116.4	8.1	0.7
Kidney and renal pelvis	193.4	18.6	1.2	117.6	8.7	0.7
Brain and other nervous system	73.0	6.9	0.7	59.4	4.6	0.5
Thyroid	54.8	5.0	0.6	195.4	15.6	1.0
Hodgkin lymphoma	35.2	3.2	0.5	29.0	2.4	0.4
Non-Hodgkin lymphomas	199.0	19.3	1.2	196.2	14.4	0.9
Multiple myeloma	70.2	7.1	0.7	74.8	5.3	0.5
Leukemias	141.6	14.2	1.1	109.8	8.1	0.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Bayside - Little Neck**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	252.4	494.2	27.4	291.4	444.1	23.4
Oral cavity and pharynx	6.0	12.0	4.3	4.2	6.2	2.7
Esophagus	1.6	3.1	2.2	1.6	2.3	1.6
Stomach	6.0	11.7	4.2	5.8	8.9	3.3
Colorectal	31.6	61.6	9.6	36.6	51.9	7.7
Colon excluding rectum	20.6	40.2	7.8	27.0	37.6	6.5
Rectum & rectosigmoid	11.0	21.4	5.7	9.6	14.2	4.2
Liver / intrahepatic bile duct	8.6	16.5	5.0	1.8	2.9	2.0
Pancreas	7.4	14.3	4.6	11.4	15.6	4.1
Larynx	2.0	3.9	2.4	0.4	0.6	0.8
Lung and bronchus	27.6	53.4	8.9	36.4	52.2	7.7
Melanoma of the skin	8.6	16.6	5.0	6.2	10.5	3.9
Female breast				78.0	124.4	12.6
Cervix uteri				4.0	6.6	3.0
Corpus uterus and NOS				19.8	29.8	6.0
Ovary				7.6	12.4	4.0
Prostate	66.2	128.0	13.8			
Testis	2.4	6.0	3.4			
Urinary bladder (incl. in situ)	20.6	39.8	7.7	10.0	13.8	3.9
Kidney and renal pelvis	11.0	21.5	5.7	6.6	9.6	3.3
Brain and other nervous system	3.6	7.8	3.7	4.0	7.9	3.6
Thyroid	3.2	6.1	3.0	13.0	23.6	5.8
Hodgkin lymphoma	1.0	2.2	2.0	1.0	2.0	1.8
Non-Hodgkin lymphomas	11.8	23.1	5.9	10.8	16.4	4.6
Multiple myeloma	2.4	4.8	2.7	3.6	4.9	2.3
Leukemias	9.6	19.1	5.4	6.4	9.2	3.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Flushing - Clearview**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	695.4	510.4	17.0	691.6	384.7	13.2
Oral cavity and pharynx	18.0	12.8	2.7	7.8	4.7	1.5
Esophagus	12.4	9.2	2.3	5.0	2.5	1.0
Stomach	34.6	25.3	3.8	20.4	10.6	2.1
Colorectal	81.2	59.4	5.8	94.0	48.4	4.5
Colon excluding rectum	56.8	41.7	4.9	68.4	34.4	3.8
Rectum & rectosigmoid	24.4	17.7	3.2	25.6	14.0	2.5
Liver / intrahepatic bile duct	26.6	19.1	3.3	9.0	4.9	1.5
Pancreas	20.6	15.1	2.9	20.8	9.6	1.9
Larynx	7.6	5.4	1.7	1.8	0.9	0.6
Lung and bronchus	91.6	67.2	6.2	72.4	38.3	4.0
Melanoma of the skin	15.0	11.1	2.5	13.0	7.6	1.9
Female breast				190.6	110.8	7.2
Cervix uteri				15.0	9.5	2.2
Corpus uterus and NOS				43.0	24.6	3.3
Ovary				23.2	13.8	2.6
Prostate	170.4	124.1	8.4			
Testis	6.8	5.1	1.7			
Urinary bladder (incl. in situ)	55.6	41.0	4.8	15.8	7.9	1.8
Kidney and renal pelvis	24.6	17.8	3.2	15.4	8.4	1.9
Brain and other nervous system	9.4	7.1	2.1	5.0	3.0	1.2
Thyroid	10.4	7.5	2.0	25.8	17.1	3.0
Hodgkin lymphoma	5.4	4.2	1.6	4.0	2.7	1.2
Non-Hodgkin lymphomas	25.4	18.9	3.3	27.2	15.4	2.6
Multiple myeloma	7.0	5.1	1.7	8.2	4.1	1.3
Leukemias	18.6	14.1	2.9	16.2	8.9	2.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Fresh Meadows**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	228.2	485.1	28.3	237.4	387.0	22.4
Oral cavity and pharynx	5.0	10.9	4.3	2.8	4.8	2.5
Esophagus	3.8	7.7	3.5	1.8	2.5	1.6
Stomach	8.6	17.9	5.4	6.0	9.3	3.4
Colorectal	28.6	59.8	9.9	25.2	37.4	6.7
Colon excluding rectum	21.2	44.2	8.5	18.4	26.9	5.6
Rectum & rectosigmoid	7.4	15.6	5.0	6.8	10.5	3.6
Liver / intrahepatic bile duct	8.0	17.1	5.3	3.4	5.5	2.7
Pancreas	7.0	14.6	4.9	7.0	10.1	3.4
Larynx	3.0	6.7	3.4	0.6	1.0	1.1
Lung and bronchus	27.4	58.3	9.8	26.6	41.8	7.2
Melanoma of the skin	5.6	11.4	4.2	5.0	8.0	3.2
Female breast				70.0	117.2	12.5
Cervix uteri				4.2	7.7	3.3
Corpus uterus and NOS				16.8	27.4	5.9
Ovary				9.2	15.9	4.7
Prostate	52.8	114.5	13.9			
Testis	2.4	5.3	3.0			
Urinary bladder (incl. in situ)	18.4	38.5	7.9	5.0	8.1	3.2
Kidney and renal pelvis	10.0	21.2	5.9	8.2	13.7	4.3
Brain and other nervous system	4.6	9.9	4.0	2.6	4.6	2.5
Thyroid	2.8	6.0	3.2	9.8	18.6	5.3
Hodgkin lymphoma	1.4	3.2	2.4	0.6	1.1	1.3
Non-Hodgkin lymphomas	10.2	21.6	6.0	10.4	17.1	4.7
Multiple myeloma	2.8	6.1	3.2	1.6	2.5	1.8
Leukemias	5.0	10.5	4.1	4.0	6.6	3.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Jamaica**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	628.0	539.0	19.1	620.4	364.6	12.9
Oral cavity and pharynx	14.0	11.3	2.7	8.4	5.0	1.5
Esophagus	7.4	6.3	2.1	5.6	3.2	1.2
Stomach	21.4	18.9	3.6	20.4	11.8	2.3
Colorectal	66.4	58.6	6.4	79.4	45.2	4.5
Colon excluding rectum	46.6	41.6	5.4	60.8	34.6	3.9
Rectum & rectosigmoid	19.8	17.0	3.4	18.6	10.5	2.2
Liver / intrahepatic bile duct	17.0	13.5	2.9	9.0	5.4	1.6
Pancreas	12.2	10.5	2.7	17.0	9.5	2.0
Larynx	8.6	7.3	2.2	1.2	0.7	0.5
Lung and bronchus	67.2	59.5	6.5	58.0	34.0	3.9
Melanoma of the skin	3.6	3.2	1.5	3.6	2.0	0.9
Female breast				176.4	105.4	7.0
Cervix uteri				17.4	10.7	2.3
Corpus uterus and NOS				52.2	30.6	3.7
Ovary				19.2	11.5	2.3
Prostate	256.6	218.7	12.1			
Testis	3.0	2.2	1.1			
Urinary bladder (incl. in situ)	26.0	23.3	4.1	10.2	5.8	1.6
Kidney and renal pelvis	20.8	17.3	3.4	14.0	8.3	2.0
Brain and other nervous system	7.0	5.7	1.9	7.0	4.4	1.5
Thyroid	4.8	4.0	1.6	17.4	10.6	2.2
Hodgkin lymphoma	4.2	3.2	1.4	3.2	2.0	1.0
Non-Hodgkin lymphomas	18.6	15.4	3.2	17.0	10.2	2.2
Multiple myeloma	11.8	10.4	2.7	14.2	8.1	1.9
Leukemias	16.2	13.8	3.1	12.8	7.5	1.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**  
**Long Island City - Astoria**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	408.4	458.1	20.3	422.0	349.6	15.1
Oral cavity and pharynx	10.4	11.9	3.3	7.8	6.3	2.0
Esophagus	6.6	7.3	2.5	2.4	2.1	1.2
Stomach	12.2	13.7	3.5	8.6	7.2	2.2
Colorectal	44.2	50.2	6.7	47.0	37.1	4.8
Colon excluding rectum	33.4	38.4	5.9	37.4	29.5	4.3
Rectum & rectosigmoid	10.8	11.8	3.2	9.6	7.7	2.2
Liver / intrahepatic bile duct	13.8	14.6	3.5	7.2	5.8	1.9
Pancreas	12.4	14.1	3.6	11.2	9.0	2.4
Larynx	7.2	8.2	2.7	1.6	1.4	1.0
Lung and bronchus	56.2	66.2	7.9	40.6	33.2	4.6
Melanoma of the skin	10.8	11.2	3.1	10.0	8.3	2.4
Female breast				113.6	97.1	8.1
Cervix uteri				10.4	9.0	2.5
Corpus uterus and NOS				28.4	24.1	4.0
Ovary				15.0	12.4	2.8
Prostate	96.8	112.1	10.1			
Testis	6.8	5.0	1.8			
Urinary bladder (incl. in situ)	26.2	32.1	5.6	10.4	8.2	2.3
Kidney and renal pelvis	19.4	21.0	4.3	11.4	9.5	2.5
Brain and other nervous system	6.8	7.0	2.4	7.0	5.7	1.9
Thyroid	5.0	4.4	1.8	17.8	15.0	3.2
Hodgkin lymphoma	4.4	4.1	1.8	4.0	3.1	1.4
Non-Hodgkin lymphomas	18.8	19.7	4.1	17.0	14.1	3.0
Multiple myeloma	5.2	5.9	2.3	5.0	4.0	1.6
Leukemias	10.2	11.5	3.2	9.4	7.7	2.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry**  
**Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**  
**Ridgewood - Forest Hills**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	619.6	498.1	17.6	675.4	393.3	13.6
Oral cavity and pharynx	16.0	12.5	2.7	8.6	5.1	1.6
Esophagus	6.6	5.3	1.8	4.4	2.1	0.9
Stomach	19.8	15.7	3.1	12.8	7.3	1.8
Colorectal	78.8	63.3	6.3	77.0	41.1	4.2
Colon excluding rectum	53.0	42.8	5.2	57.6	30.4	3.6
Rectum & rectosigmoid	25.8	20.6	3.6	19.4	10.6	2.2
Liver / intrahepatic bile duct	15.8	12.2	2.7	8.2	4.7	1.5
Pancreas	16.0	12.7	2.8	22.6	11.5	2.2
Larynx	9.8	7.8	2.2	2.0	1.1	0.7
Lung and bronchus	81.2	65.4	6.4	70.4	39.2	4.2
Melanoma of the skin	19.6	15.5	3.1	18.8	11.2	2.3
Female breast				184.6	113.2	7.4
Cervix uteri				13.6	9.5	2.3
Corpus uterus and NOS				48.8	28.7	3.7
Ovary				23.2	14.2	2.7
Prostate	144.2	116.4	8.5			
Testis	6.4	5.0	1.7			
Urinary bladder (incl. in situ)	46.8	38.4	4.9	17.4	9.0	1.9
Kidney and renal pelvis	29.0	23.1	3.8	17.2	10.1	2.2
Brain and other nervous system	9.6	8.0	2.3	7.6	4.7	1.6
Thyroid	9.2	7.4	2.1	23.0	15.8	2.9
Hodgkin lymphoma	4.4	3.5	1.5	2.6	2.1	1.2
Non-Hodgkin lymphomas	25.4	20.3	3.6	28.6	16.1	2.7
Multiple myeloma	6.4	5.2	1.8	8.6	4.9	1.5
Leukemias	19.4	16.0	3.2	18.2	10.7	2.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Rockaway**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	293.0	606.0	31.1	292.4	427.9	22.5
Oral cavity and pharynx	11.2	23.0	6.0	4.2	6.2	2.7
Esophagus	4.4	9.3	3.9	2.6	3.3	1.8
Stomach	7.2	15.3	5.0	6.0	8.4	3.1
Colorectal	26.2	54.7	9.4	32.8	45.2	7.1
Colon excluding rectum	18.4	38.4	7.9	25.8	34.9	6.2
Rectum & rectosigmoid	7.8	16.3	5.1	7.0	10.3	3.5
Liver / intrahepatic bile duct	6.8	13.9	4.7	1.8	2.3	1.5
Pancreas	6.6	13.5	4.6	9.2	12.0	3.6
Larynx	4.8	9.7	3.9	2.0	3.0	1.9
Lung and bronchus	40.8	83.8	11.5	40.6	58.3	8.2
Melanoma of the skin	9.8	20.5	5.8	8.0	12.0	3.8
Female breast				75.2	116.9	12.0
Cervix uteri				8.8	14.2	4.3
Corpus uterus and NOS				20.8	30.9	6.0
Ovary				8.8	12.5	3.8
Prostate	90.2	185.5	17.2			
Testis	1.8	4.0	2.6			
Urinary bladder (incl. in situ)	17.4	36.3	7.7	7.2	9.1	3.1
Kidney and renal pelvis	10.6	22.1	6.0	4.0	5.6	2.5
Brain and other nervous system	4.2	8.4	3.6	2.6	3.6	2.0
Thyroid	2.0	4.2	2.6	7.2	11.8	3.9
Hodgkin lymphoma	1.2	2.5	2.0	1.8	3.3	2.2
Non-Hodgkin lymphomas	9.2	19.1	5.5	12.2	16.8	4.4
Multiple myeloma	4.8	10.1	4.1	5.4	7.5	2.9
Leukemias	6.8	14.2	4.8	4.6	6.4	2.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Southeast Queens**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	499.0	563.7	22.5	469.2	376.5	15.3
Oral cavity and pharynx	11.2	12.1	3.2	7.0	5.6	1.9
Esophagus	6.0	6.9	2.5	2.6	2.0	1.1
Stomach	12.0	13.6	3.5	8.2	6.4	2.0
Colorectal	51.6	60.2	7.5	58.0	45.6	5.3
Colon excluding rectum	35.8	42.4	6.3	42.4	33.1	4.5
Rectum & rectosigmoid	15.8	17.8	4.0	15.6	12.4	2.8
Liver / intrahepatic bile duct	9.0	9.8	2.9	2.8	2.2	1.2
Pancreas	11.2	13.6	3.6	15.2	11.8	2.7
Larynx	4.0	4.1	1.8	0.6	0.4	0.5
Lung and bronchus	49.4	57.5	7.3	49.8	38.9	4.9
Melanoma of the skin	6.4	8.2	2.9	7.8	6.2	2.0
Female breast				132.4	107.1	8.2
Cervix uteri				10.2	8.4	2.3
Corpus uterus and NOS				37.0	29.8	4.3
Ovary				13.6	10.7	2.6
Prostate	211.2	229.0	14.1			
Testis	1.2	1.4	1.1			
Urinary bladder (incl. in situ)	25.2	31.0	5.5	9.8	7.7	2.2
Kidney and renal pelvis	17.8	20.1	4.2	11.6	9.4	2.4
Brain and other nervous system	4.6	5.2	2.1	4.2	3.4	1.5
Thyroid	2.2	2.4	1.4	15.4	13.3	3.0
Hodgkin lymphoma	3.0	3.3	1.7	3.6	3.3	1.6
Non-Hodgkin lymphomas	16.8	19.4	4.2	21.4	17.4	3.3
Multiple myeloma	10.8	12.2	3.3	8.8	6.9	2.0
Leukemias	14.0	16.1	3.8	8.4	6.8	2.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Southwest Queens**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	493.2	457.9	18.5	517.8	359.3	13.9
Oral cavity and pharynx	13.0	10.5	2.6	6.8	4.7	1.6
Esophagus	4.2	3.8	1.7	2.2	1.5	0.9
Stomach	16.0	14.3	3.2	12.6	8.7	2.1
Colorectal	56.0	53.2	6.4	51.4	35.7	4.4
Colon excluding rectum	36.8	35.6	5.3	36.4	25.3	3.7
Rectum & rectosigmoid	19.2	17.5	3.6	15.0	10.4	2.4
Liver / intrahepatic bile duct	13.2	11.3	2.8	7.0	4.9	1.6
Pancreas	12.4	11.7	3.0	15.0	10.4	2.4
Larynx	6.6	5.6	2.0	2.0	1.4	0.9
Lung and bronchus	69.2	67.1	7.2	49.2	34.3	4.3
Melanoma of the skin	6.0	5.9	2.2	7.8	5.3	1.7
Female breast				145.6	100.5	7.3
Cervix uteri				15.4	10.6	2.4
Corpus uterus and NOS				45.0	31.1	4.1
Ovary				19.8	13.8	2.7
Prostate	133.2	123.7	9.6			
Testis	4.2	2.9	1.3			
Urinary bladder (incl. in situ)	34.0	33.9	5.2	11.8	8.4	2.1
Kidney and renal pelvis	24.4	21.6	3.9	11.8	8.4	2.1
Brain and other nervous system	7.4	6.4	2.1	7.8	5.5	1.7
Thyroid	4.4	3.9	1.7	21.2	14.9	2.8
Hodgkin lymphoma	3.8	2.7	1.2	3.2	2.4	1.2
Non-Hodgkin lymphomas	23.4	20.6	3.8	18.6	13.1	2.7
Multiple myeloma	8.0	7.4	2.4	7.0	4.8	1.6
Leukemias	13.6	12.5	3.1	11.8	8.1	2.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**West Queens**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	790.6	439.0	14.1	831.2	346.3	10.6
Oral cavity and pharynx	19.6	10.1	2.1	11.4	4.7	1.2
Esophagus	7.4	4.2	1.4	4.6	2.0	0.8
Stomach	33.2	18.2	2.9	21.0	8.6	1.7
Colorectal	83.2	47.7	4.7	99.8	41.0	3.6
Colon excluding rectum	58.8	34.1	4.0	72.0	29.6	3.1
Rectum & rectosigmoid	24.4	13.5	2.5	27.8	11.5	1.9
Liver / intrahepatic bile duct	29.0	14.9	2.5	11.2	4.7	1.2
Pancreas	18.8	11.2	2.3	21.6	8.7	1.7
Larynx	10.2	5.6	1.6	2.6	1.1	0.6
Lung and bronchus	105.4	62.1	5.4	78.8	33.2	3.3
Melanoma of the skin	10.8	6.0	1.6	12.0	5.0	1.3
Female breast				236.8	99.2	5.7
Cervix uteri				23.8	9.9	1.8
Corpus uterus and NOS				46.0	19.2	2.5
Ovary				32.0	13.3	2.1
Prostate	220.2	125.8	7.6			
Testis	11.4	4.3	1.1			
Urinary bladder (incl. in situ)	39.6	24.2	3.5	18.6	7.6	1.6
Kidney and renal pelvis	25.2	13.2	2.4	17.4	7.2	1.5
Brain and other nervous system	15.6	7.1	1.6	11.4	4.8	1.2
Thyroid	10.6	4.8	1.3	44.2	18.5	2.5
Hodgkin lymphoma	6.4	2.7	0.9	4.8	2.1	0.9
Non-Hodgkin lymphomas	39.2	20.3	3.0	32.6	13.7	2.1
Multiple myeloma	11.0	6.7	1.8	12.4	5.2	1.3
Leukemias	28.0	15.1	2.6	17.8	7.6	1.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007  
Richmond (Staten Island)**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	1206.4	576.2	14.9	1224.4	452.4	11.4
Oral cavity and pharynx	31.2	13.9	2.2	15.2	5.5	1.3
Esophagus	13.2	6.3	1.6	7.6	2.8	0.9
Stomach	26.8	13.4	2.3	20.0	7.2	1.4
Colorectal	123.8	61.6	5.0	118.0	42.9	3.5
Colon excluding rectum	87.0	43.4	4.2	88.0	31.9	3.0
Rectum & rectosigmoid	36.8	18.2	2.7	30.0	11.0	1.8
Liver / intrahepatic bile duct	32.4	15.0	2.4	9.4	3.3	1.0
Pancreas	31.4	15.2	2.5	33.6	12.1	1.8
Larynx	19.2	8.6	1.8	5.4	2.0	0.8
Lung and bronchus	170.8	84.9	5.8	155.0	56.6	4.0
Melanoma of the skin	35.0	16.5	2.5	28.8	10.8	1.8
Female breast				344.0	127.4	6.1
Cervix uteri				27.2	10.3	1.7
Corpus uterus and NOS				82.8	29.9	2.9
Ovary				30.2	11.0	1.8
Prostate	320.6	149.1	7.5			
Testis	13.8	5.9	1.4			
Urinary bladder (incl. in situ)	94.8	48.1	4.4	36.6	13.4	2.0
Kidney and renal pelvis	54.4	24.5	3.0	28.2	10.7	1.8
Brain and other nervous system	18.0	8.2	1.7	16.2	6.3	1.4
Thyroid	21.6	9.1	1.7	63.4	24.4	2.7
Hodgkin lymphoma	9.4	4.1	1.2	6.8	2.8	1.0
Non-Hodgkin lymphomas	53.8	25.0	3.1	50.8	19.0	2.4
Multiple myeloma	16.2	8.4	1.9	15.8	5.7	1.3
Leukemias	29.6	14.3	2.4	29.6	11.3	1.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007  
Port Richmond**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	142.6	602.4	45.3	136.8	431.7	32.5
Oral cavity and pharynx	5.4	21.6	8.4	1.0	3.1	2.7
Esophagus	1.0	4.4	4.0	0.4	1.2	1.7
Stomach	3.2	14.7	7.4	3.8	11.6	5.2
Colorectal	15.0	65.5	15.2	15.6	48.0	10.7
Colon excluding rectum	9.4	40.7	11.9	12.6	38.8	9.6
Rectum & rectosigmoid	5.6	24.8	9.4	3.0	9.3	4.7
Liver / intrahepatic bile duct	4.8	18.9	7.7	1.4	4.3	3.2
Pancreas	2.8	10.7	5.7	3.6	11.6	5.4
Larynx	3.4	13.5	6.6	0.6	1.8	2.1
Lung and bronchus	19.8	89.0	17.9	16.2	51.8	11.3
Melanoma of the skin	2.6	11.2	6.3	2.8	8.7	4.6
Female breast				37.4	118.5	17.0
Cervix uteri				4.8	15.0	6.0
Corpus uterus and NOS				8.0	25.6	8.0
Ovary				2.6	8.3	4.5
Prostate	40.8	173.2	24.3			
Testis	2.2	7.3	4.3			
Urinary bladder (incl. in situ)	8.4	38.5	11.9	2.8	9.0	4.7
Kidney and renal pelvis	5.2	20.8	8.1	3.4	11.1	5.3
Brain and other nervous system	1.8	7.1	4.7	1.8	5.8	3.8
Thyroid	1.6	5.5	3.9	6.4	20.1	7.0
Hodgkin lymphoma	0.6	1.9	2.2	0.4	1.2	1.7
Non-Hodgkin lymphomas	5.8	23.7	8.9	4.8	15.5	6.2
Multiple myeloma	1.6	7.2	5.1	1.8	5.6	3.7
Leukemias	4.8	18.3	7.5	3.6	11.4	5.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**South Beach - Tottenville**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	534.2	617.5	24.4	521.2	478.8	18.5
Oral cavity and pharynx	13.2	14.1	3.5	6.0	5.4	1.9
Esophagus	5.8	6.8	2.5	1.4	1.2	0.9
Stomach	11.6	14.4	3.9	7.2	6.7	2.2
Colorectal	50.0	62.0	8.0	42.6	39.9	5.4
Colon excluding rectum	35.0	43.8	6.8	28.4	26.6	4.4
Rectum & rectosigmoid	15.0	18.2	4.3	14.2	13.3	3.1
Liver / intrahepatic bile duct	11.4	13.4	3.7	3.0	2.8	1.4
Pancreas	14.4	17.1	4.1	13.0	12.0	2.9
Larynx	7.2	7.4	2.5	1.8	1.6	1.0
Lung and bronchus	77.0	93.2	9.7	70.0	62.8	6.6
Melanoma of the skin	19.6	22.1	4.5	13.6	12.7	3.0
Female breast				155.2	140.9	10.0
Cervix uteri				7.8	7.4	2.3
Corpus uterus and NOS				34.6	30.5	4.6
Ovary				12.2	10.8	2.7
Prostate	135.4	150.3	11.7			
Testis	6.0	6.3	2.3			
Urinary bladder (incl. in situ)	47.0	57.0	7.6	16.4	15.3	3.3
Kidney and renal pelvis	28.4	30.4	5.1	13.6	12.5	3.0
Brain and other nervous system	8.6	9.2	2.8	8.0	7.7	2.4
Thyroid	10.2	10.3	2.9	28.2	27.0	4.5
Hodgkin lymphoma	4.8	5.2	2.2	3.4	3.6	1.7
Non-Hodgkin lymphomas	25.6	28.6	5.1	24.8	23.2	4.1
Multiple myeloma	7.4	9.5	3.2	4.8	4.3	1.7
Leukemias	12.4	15.6	4.1	13.2	12.9	3.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Stapleton - St. George**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	302.8	561.7	28.6	311.4	435.7	21.9
Oral cavity and pharynx	8.6	15.2	4.6	3.6	5.1	2.4
Esophagus	4.6	8.5	3.5	3.8	5.5	2.5
Stomach	8.8	16.6	5.0	5.8	7.6	2.8
Colorectal	32.4	60.9	9.5	35.0	46.2	7.0
Colon excluding rectum	20.8	39.4	7.7	26.8	35.1	6.0
Rectum & rectosigmoid	11.6	21.6	5.6	8.2	11.2	3.5
Liver / intrahepatic bile duct	9.2	16.3	4.8	2.6	3.6	2.0
Pancreas	8.8	16.7	5.0	8.4	10.9	3.4
Larynx	5.4	10.0	3.8	2.0	2.9	1.8
Lung and bronchus	41.8	79.8	10.9	37.2	51.2	7.4
Melanoma of the skin	5.8	11.0	4.1	5.6	8.1	3.0
Female breast				81.8	117.2	11.4
Cervix uteri				9.0	13.0	3.8
Corpus uterus and NOS				23.2	32.5	5.9
Ovary				7.6	10.8	3.5
Prostate	83.2	153.1	14.9			
Testis	3.4	5.5	2.6			
Urinary bladder (incl. in situ)	21.2	41.9	8.1	8.6	11.7	3.5
Kidney and renal pelvis	11.0	19.7	5.3	5.6	8.1	3.0
Brain and other nervous system	4.8	8.7	3.5	4.0	6.1	2.7
Thyroid	3.6	6.2	2.9	14.0	20.6	4.8
Hodgkin lymphoma	2.6	4.6	2.5	1.6	2.6	1.8
Non-Hodgkin lymphomas	12.4	22.2	5.6	12.0	16.7	4.3
Multiple myeloma	4.4	8.9	3.7	3.8	5.3	2.4
Leukemias	6.8	12.1	4.1	8.0	11.5	3.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry  
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2003-2007**

**Willowbrook**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	226.6	535.8	31.9	254.8	452.7	25.2
Oral cavity and pharynx	4.0	8.6	3.8	4.6	7.7	3.2
Esophagus	1.8	4.2	2.8	2.0	3.4	2.1
Stomach	3.2	7.8	3.9	3.0	4.8	2.5
Colorectal	26.4	64.4	11.2	24.8	41.4	7.4
Colon excluding rectum	21.8	52.8	10.1	20.2	33.8	6.7
Rectum & rectosigmoid	4.6	11.6	4.8	4.6	7.6	3.1
Liver / intrahepatic bile duct	7.0	16.3	5.5	2.4	3.9	2.2
Pancreas	5.4	13.5	5.2	8.6	14.4	4.4
Larynx	3.2	7.5	3.7	1.0	2.0	1.8
Lung and bronchus	32.2	78.4	12.4	31.6	56.1	8.9
Melanoma of the skin	6.8	16.1	5.5	6.8	11.9	4.1
Female breast				69.6	125.4	13.3
Cervix uteri				5.6	10.3	3.9
Corpus uterus and NOS				17.0	29.8	6.4
Ovary				7.8	14.1	4.5
Prostate	61.2	138.8	15.9			
Testis	2.2	5.1	3.1			
Urinary bladder (incl. in situ)	18.0	44.9	9.4	8.8	14.6	4.4
Kidney and renal pelvis	9.8	22.2	6.3	5.6	10.5	3.9
Brain and other nervous system	2.8	6.7	3.5	2.4	4.2	2.4
Thyroid	6.2	13.2	4.7	14.8	28.9	6.7
Hodgkin lymphoma	1.4	3.2	2.4	1.4	3.2	2.4
Non-Hodgkin lymphomas	10.2	24.1	6.8	9.2	16.5	4.8
Multiple myeloma	2.8	6.4	3.4	5.4	9.3	3.6
Leukemias	5.6	13.5	5.1	4.8	9.0	3.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2009. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.