

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

New York State

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	50145.4	577.5	2.3	49368.0	434.4	1.7
Oral cavity and pharynx	1334.2	14.6	0.4	671.0	5.9	0.2
Esophagus	762.4	8.7	0.3	280.2	2.4	0.1
Stomach	1117.0	13.1	0.3	795.4	6.7	0.2
Colorectal	5185.6	60.8	0.7	5443.0	45.8	0.5
Colon excluding rectum	3629.8	43.1	0.6	4112.6	34.3	0.5
Rectum & rectosigmoid	1555.8	17.8	0.4	1330.4	11.4	0.3
Liver / intrahepatic bile duct	1010.0	11.2	0.3	416.4	3.6	0.2
Pancreas	1228.8	14.4	0.4	1374.6	11.4	0.3
Larynx	644.4	7.2	0.3	181.2	1.6	0.1
Lung and bronchus	6801.6	79.5	0.9	6253.4	54.1	0.6
Melanoma of the skin	1622.6	18.4	0.4	1273.2	11.7	0.3
Female breast				13860.8	124.5	0.9
Cervix uteri				923.0	8.7	0.3
Corpus uterus and NOS				3215.0	28.5	0.4
Ovary				1569.6	14.0	0.3
Prostate	14576.4	166.3	1.2			
Testis	504.2	5.3	0.2			
Urinary bladder (incl. in situ)	3537.0	42.3	0.6	1317.8	11.1	0.3
Kidney and renal pelvis	1806.8	20.3	0.4	1116.0	9.8	0.3
Brain and other nervous system	742.6	8.3	0.3	611.6	5.7	0.2
Thyroid	547.4	5.9	0.2	1678.8	16.2	0.3
Hodgkin lymphoma	355.2	3.8	0.2	301.4	3.0	0.2
Non-Hodgkin lymphomas	2171.0	24.7	0.5	1969.6	17.3	0.3
Multiple myeloma	675.4	7.9	0.3	629.0	5.4	0.2
Leukemias	1449.8	16.9	0.4	1156.2	10.1	0.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006
New York City

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	17482.6	521.0	3.5	18101.4	388.6	2.5
Oral cavity and pharynx	504.2	14.2	0.6	258.0	5.5	0.3
Esophagus	237.4	7.1	0.4	118.0	2.5	0.2
Stomach	533.2	16.3	0.6	422.0	8.8	0.4
Colorectal	1933.2	59.1	1.2	2110.6	44.0	0.8
Colon excluding rectum	1358.8	42.0	1.0	1589.4	33.0	0.7
Rectum & rectosigmoid	574.4	17.1	0.6	521.2	11.0	0.4
Liver / intrahepatic bile duct	542.0	15.4	0.6	220.8	4.7	0.3
Pancreas	445.2	13.7	0.6	532.8	11.0	0.4
Larynx	246.8	7.2	0.4	66.8	1.4	0.2
Lung and bronchus	2203.2	67.4	1.3	1916.8	40.8	0.8
Melanoma of the skin	409.0	11.9	0.5	371.0	8.0	0.4
Female breast				5006.0	109.3	1.4
Cervix uteri				473.6	10.5	0.4
Corpus uterus and NOS				1246.2	26.9	0.7
Ovary				586.4	12.7	0.5
Prostate	5119.8	152.9	1.9			
Testis	171.4	4.1	0.3			
Urinary bladder (incl. in situ)	973.6	30.8	0.9	401.8	8.3	0.4
Kidney and renal pelvis	627.0	18.2	0.6	393.2	8.5	0.4
Brain and other nervous system	257.0	7.2	0.4	228.0	5.1	0.3
Thyroid	197.2	5.3	0.3	651.4	14.5	0.5
Hodgkin lymphoma	141.2	3.6	0.3	123.6	2.8	0.2
Non-Hodgkin lymphomas	789.4	22.7	0.7	723.2	15.5	0.5
Multiple myeloma	256.6	7.8	0.4	288.2	6.1	0.3
Leukemias	462.8	13.8	0.6	394.2	8.5	0.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Bronx

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	2640.6	562.8	9.8	2765.6	391.9	6.6
Oral cavity and pharynx	85.4	17.1	1.6	43.4	6.2	0.8
Esophagus	42.6	9.1	1.3	16.4	2.3	0.5
Stomach	70.4	15.8	1.7	68.0	9.4	1.0
Colorectal	280.8	62.0	3.3	329.0	46.4	2.3
Colon excluding rectum	200.6	44.9	2.8	252.6	35.6	2.0
Rectum & rectosigmoid	80.2	17.1	1.7	76.4	10.8	1.1
Liver / intrahepatic bile duct	109.4	21.8	1.9	42.4	6.1	0.8
Pancreas	62.2	13.7	1.5	81.4	11.2	1.1
Larynx	39.8	8.1	1.1	13.6	2.0	0.5
Lung and bronchus	321.0	70.7	3.5	287.6	41.1	2.1
Melanoma of the skin	30.2	6.8	1.1	26.6	3.7	0.6
Female breast				732.4	104.9	3.4
Cervix uteri				94.6	13.5	1.2
Corpus uterus and NOS				184.2	26.4	1.7
Ovary				84.8	11.9	1.1
Prostate	840.6	182.4	5.6			
Testis	17.8	2.7	0.6			
Urinary bladder (incl. in situ)	112.0	26.2	2.2	54.0	7.4	0.9
Kidney and renal pelvis	82.4	16.9	1.7	69.6	10.0	1.1
Brain and other nervous system	36.6	6.7	1.0	31.8	4.4	0.7
Thyroid	19.4	3.7	0.7	76.4	10.8	1.1
Hodgkin lymphoma	24.0	4.0	0.7	21.8	3.0	0.6
Non-Hodgkin lymphomas	123.2	24.3	2.0	121.0	17.1	1.4
Multiple myeloma	46.4	9.9	1.3	62.6	8.9	1.0
Leukemias	75.2	15.3	1.6	69.4	9.7	1.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Crotona - Tremont

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	310.0	606.5	33.7	309.2	385.6	19.8
Oral cavity and pharynx	11.2	17.5	4.9	6.6	7.7	2.7
Esophagus	7.0	15.3	5.6	3.0	4.0	2.1
Stomach	5.8	13.5	5.6	8.2	11.4	3.6
Colorectal	31.8	65.0	11.3	36.0	49.9	7.5
Colon excluding rectum	22.6	48.0	9.9	27.8	39.1	6.7
Rectum & rectosigmoid	9.2	17.1	5.6	8.2	10.8	3.4
Liver / intrahepatic bile duct	14.2	24.3	6.1	6.6	8.8	3.1
Pancreas	7.0	13.2	4.8	7.2	9.9	3.3
Larynx	4.8	8.8	3.7	2.0	2.6	1.7
Lung and bronchus	35.8	71.3	11.5	31.6	42.4	6.8
Melanoma of the skin	1.0	1.7	1.6	1.0	1.6	1.4
Female breast				77.0	91.6	9.4
Cervix uteri				16.4	18.2	4.0
Corpus uterus and NOS				19.2	23.7	4.9
Ovary				9.4	10.8	3.2
Prostate	109.8	232.9	21.5			
Testis	1.2	1.2	1.0			
Urinary bladder (incl. in situ)	9.8	22.5	6.8	4.4	6.7	2.8
Kidney and renal pelvis	8.0	13.4	4.6	8.4	10.4	3.3
Brain and other nervous system	2.8	4.4	2.5	3.8	4.4	2.0
Thyroid	2.8	4.1	2.3	7.8	8.0	2.6
Hodgkin lymphoma	3.8	4.1	1.9	3.0	3.0	1.5
Non-Hodgkin lymphomas	12.2	19.0	5.3	16.2	18.9	4.2
Multiple myeloma	5.4	11.4	5.0	7.0	9.1	3.1
Leukemias	9.6	16.9	5.8	6.8	8.0	2.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Fordham - Bronx Park

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	438.8	578.3	24.9	423.8	373.0	16.1
Oral cavity and pharynx	14.8	18.7	4.4	6.0	5.1	1.9
Esophagus	6.6	8.5	3.0	2.6	2.5	1.4
Stomach	13.8	19.3	4.7	9.6	8.2	2.4
Colorectal	44.8	60.7	8.2	48.4	42.5	5.4
Colon excluding rectum	31.6	43.4	6.9	36.4	32.1	4.8
Rectum & rectosigmoid	13.2	17.2	4.3	12.0	10.3	2.7
Liver / intrahepatic bile duct	19.2	23.3	4.8	8.2	7.3	2.3
Pancreas	10.2	13.6	3.8	12.6	10.7	2.7
Larynx	6.8	8.6	2.9	3.0	2.7	1.4
Lung and bronchus	50.8	71.5	9.0	43.0	39.3	5.3
Melanoma of the skin	3.8	5.5	2.5	4.2	3.8	1.7
Female breast				113.0	100.2	8.4
Cervix uteri				16.2	13.6	3.0
Corpus uterus and NOS				26.2	24.2	4.2
Ovary				11.2	9.8	2.6
Prostate	137.4	191.5	14.6			
Testis	4.6	3.6	1.5			
Urinary bladder (incl. in situ)	16.8	24.1	5.3	8.2	7.5	2.3
Kidney and renal pelvis	14.4	18.3	4.3	8.4	7.5	2.3
Brain and other nervous system	7.8	8.0	2.7	5.2	4.1	1.6
Thyroid	2.6	3.0	1.7	13.8	11.3	2.7
Hodgkin lymphoma	4.6	4.7	2.0	3.2	2.5	1.2
Non-Hodgkin lymphomas	23.8	27.5	5.2	20.4	17.9	3.5
Multiple myeloma	7.0	9.8	3.3	9.6	8.7	2.5
Leukemias	10.8	12.2	3.5	9.8	7.8	2.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006
High Bridge - Morrisania**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	342.2	636.5	32.5	356.8	416.0	19.6
Oral cavity and pharynx	16.6	27.9	6.4	6.0	6.6	2.4
Esophagus	6.6	13.0	4.7	2.6	3.2	1.8
Stomach	10.4	22.7	6.6	9.0	11.1	3.3
Colorectal	33.2	66.5	10.9	40.2	48.5	6.8
Colon excluding rectum	22.8	47.0	9.3	28.8	34.9	5.8
Rectum & rectosigmoid	10.4	19.5	5.6	11.4	13.5	3.6
Liver / intrahepatic bile duct	17.8	30.5	6.9	8.0	10.4	3.2
Pancreas	5.0	9.4	4.0	9.8	12.5	3.6
Larynx	6.6	11.4	4.1	2.4	2.6	1.5
Lung and bronchus	39.4	77.0	11.4	36.0	43.1	6.4
Melanoma of the skin	1.6	2.9	2.3	0.4	0.4	0.6
Female breast				96.0	110.0	10.0
Cervix uteri				15.6	17.0	3.8
Corpus uterus and NOS				24.0	27.5	5.0
Ovary				10.2	12.2	3.4
Prostate	111.0	217.9	19.3			
Testis	2.2	2.6	1.6			
Urinary bladder (incl. in situ)	8.2	17.4	5.8	8.6	10.8	3.3
Kidney and renal pelvis	9.8	16.8	5.0	9.8	11.6	3.3
Brain and other nervous system	5.8	7.7	3.2	3.6	3.8	1.8
Thyroid	1.2	2.4	2.0	9.6	9.9	2.8
Hodgkin lymphoma	3.4	4.5	2.3	2.2	2.4	1.4
Non-Hodgkin lymphomas	16.6	24.9	5.7	12.2	13.8	3.5
Multiple myeloma	5.8	10.8	4.1	8.8	10.8	3.2
Leukemias	9.0	15.6	5.1	10.4	11.3	3.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Hunts Point - Mott Haven

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	216.6	566.2	36.8	198.0	360.4	22.8
Oral cavity and pharynx	9.8	22.5	6.9	3.6	6.6	3.1
Esophagus	3.8	10.6	5.1	0.8	1.6	1.6
Stomach	5.6	16.7	6.7	5.0	9.7	3.8
Colorectal	22.4	64.6	12.9	24.8	46.6	8.3
Colon excluding rectum	16.8	49.1	11.4	19.0	36.1	7.4
Rectum & rectosigmoid	5.6	15.5	6.1	5.8	10.4	3.8
Liver / intrahepatic bile duct	11.2	24.0	6.6	4.0	7.5	3.3
Pancreas	3.6	10.3	5.3	4.4	8.5	3.6
Larynx	3.8	8.5	4.0	0.6	1.1	1.2
Lung and bronchus	24.2	65.9	12.7	19.6	37.3	7.5
Melanoma of the skin	1.4	4.2	3.5	1.0	1.8	1.6
Female breast				52.0	93.4	11.5
Cervix uteri				9.2	16.3	4.8
Corpus uterus and NOS				12.8	22.6	5.6
Ovary				5.0	8.7	3.5
Prostate	68.6	193.5	21.9			
Testis	1.2	1.4	1.2			
Urinary bladder (incl. in situ)	6.2	19.9	7.5	3.6	7.4	3.5
Kidney and renal pelvis	6.6	16.4	6.2	6.2	11.2	4.0
Brain and other nervous system	3.6	7.0	3.7	1.4	2.3	1.7
Thyroid	1.2	2.4	2.1	5.2	8.3	3.2
Hodgkin lymphoma	2.8	4.5	2.6	2.8	4.8	2.6
Non-Hodgkin lymphomas	11.8	26.4	7.5	7.4	12.3	4.0
Multiple myeloma	3.6	9.5	4.8	3.4	6.3	3.0
Leukemias	8.4	20.3	6.9	7.0	12.3	4.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Kingsbridge - Riverdale

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	236.2	490.6	28.2	301.8	405.3	21.9
Oral cavity and pharynx	8.0	17.0	5.3	6.0	8.6	3.2
Esophagus	3.2	6.7	3.3	2.6	2.9	1.7
Stomach	5.0	10.0	4.0	6.2	7.1	2.7
Colorectal	23.2	47.5	8.7	36.4	42.7	6.6
Colon excluding rectum	16.2	32.2	7.1	29.2	33.9	5.9
Rectum & rectosigmoid	7.0	15.2	5.1	7.2	8.8	3.1
Liver / intrahepatic bile duct	8.4	17.9	5.4	3.4	4.2	2.1
Pancreas	6.6	13.1	4.5	10.4	12.2	3.6
Larynx	2.0	4.3	2.6	0.8	0.9	0.9
Lung and bronchus	28.8	60.0	9.9	32.0	39.8	6.6
Melanoma of the skin	9.8	20.2	5.7	6.6	10.0	3.6
Female breast				81.2	117.6	12.1
Cervix uteri				3.4	6.2	3.0
Corpus uterus and NOS				20.2	30.2	6.1
Ovary				9.4	13.1	4.0
Prostate	67.0	138.6	14.9			
Testis	2.2	5.0	3.0			
Urinary bladder (incl. in situ)	15.8	31.6	7.0	8.2	8.9	3.0
Kidney and renal pelvis	6.4	13.5	4.7	6.4	9.9	3.5
Brain and other nervous system	3.0	6.6	3.4	3.8	5.6	2.6
Thyroid	2.2	5.1	3.0	6.6	11.4	4.0
Hodgkin lymphoma	1.0	2.3	2.0	1.4	2.8	2.1
Non-Hodgkin lymphomas	11.6	24.8	6.4	14.0	18.2	4.6
Multiple myeloma	4.0	8.1	3.6	4.2	5.0	2.3
Leukemias	6.6	13.8	4.8	9.8	12.8	3.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Northeast Bronx

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	458.4	560.3	23.0	515.2	410.5	16.1
Oral cavity and pharynx	8.2	9.7	3.0	6.0	4.9	1.8
Esophagus	6.2	7.6	2.7	2.2	1.5	0.9
Stomach	12.8	16.0	3.9	15.8	11.2	2.5
Colorectal	53.6	67.0	8.1	65.2	50.0	5.5
Colon excluding rectum	41.6	52.0	7.1	53.6	41.2	5.0
Rectum & rectosigmoid	12.0	15.0	3.8	11.6	8.9	2.3
Liver / intrahepatic bile duct	16.0	19.6	4.3	6.4	5.0	1.7
Pancreas	10.6	13.3	3.6	18.6	13.4	2.8
Larynx	3.8	4.5	2.0	1.2	0.9	0.8
Lung and bronchus	54.4	66.7	8.0	48.6	36.9	4.7
Melanoma of the skin	3.4	4.4	2.1	5.2	4.0	1.6
Female breast				137.6	114.0	8.6
Cervix uteri				15.4	13.2	3.0
Corpus uterus and NOS				35.8	28.8	4.3
Ovary				16.4	13.4	2.9
Prostate	165.8	199.3	13.6			
Testis	1.6	2.0	1.4			
Urinary bladder (incl. in situ)	18.0	23.0	4.8	9.0	6.4	1.9
Kidney and renal pelvis	15.6	18.8	4.2	13.6	10.7	2.6
Brain and other nervous system	5.6	6.7	2.5	6.6	5.8	2.0
Thyroid	3.0	3.6	1.8	13.0	11.6	2.8
Hodgkin lymphoma	2.6	3.2	1.8	3.0	2.7	1.4
Non-Hodgkin lymphomas	19.4	23.8	4.8	23.4	19.0	3.5
Multiple myeloma	9.2	11.2	3.2	16.8	12.9	2.8
Leukemias	12.0	14.6	3.7	11.2	9.0	2.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Pelham - Throgs Neck

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	651.6	557.1	19.4	673.2	391.0	13.3
Oral cavity and pharynx	17.0	14.1	3.0	9.2	5.3	1.5
Esophagus	9.4	7.8	2.3	2.8	1.6	0.8
Stomach	17.4	15.4	3.3	14.8	8.5	1.9
Colorectal	73.0	63.6	6.6	79.0	44.7	4.4
Colon excluding rectum	50.0	44.2	5.5	58.8	33.1	3.8
Rectum & rectosigmoid	23.0	19.4	3.6	20.2	11.6	2.3
Liver / intrahepatic bile duct	23.6	18.8	3.4	7.0	4.1	1.3
Pancreas	19.4	16.5	3.3	19.0	10.5	2.1
Larynx	12.2	10.0	2.5	3.6	2.1	1.0
Lung and bronchus	88.6	77.6	7.3	78.2	44.5	4.4
Melanoma of the skin	9.2	8.1	2.4	8.0	4.7	1.5
Female breast				179.6	106.8	7.0
Cervix uteri				18.6	11.4	2.3
Corpus uterus and NOS				46.6	27.3	3.5
Ovary				23.4	13.5	2.5
Prostate	185.2	158.0	10.3			
Testis	5.0	3.6	1.4			
Urinary bladder (incl. in situ)	38.0	34.5	5.0	12.0	6.6	1.7
Kidney and renal pelvis	21.8	18.0	3.4	16.8	9.8	2.1
Brain and other nervous system	8.0	6.4	2.0	7.4	4.4	1.4
Thyroid	6.4	5.0	1.8	20.4	12.6	2.5
Hodgkin lymphoma	5.4	4.1	1.6	6.2	3.9	1.4
Non-Hodgkin lymphomas	29.2	24.4	4.0	27.8	16.1	2.7
Multiple myeloma	11.4	9.8	2.6	13.6	7.8	1.9
Leukemias	19.4	16.8	3.4	14.8	8.6	2.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006
Kings (Brooklyn)**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	5054.4	506.9	6.3	5280.2	374.2	4.5
Oral cavity and pharynx	142.8	13.5	1.0	77.4	5.5	0.5
Esophagus	64.8	6.5	0.7	31.0	2.1	0.3
Stomach	177.4	18.3	1.2	140.4	9.6	0.7
Colorectal	620.6	63.7	2.3	658.4	45.4	1.6
Colon excluding rectum	437.2	45.5	1.9	492.2	33.8	1.3
Rectum & rectosigmoid	183.4	18.3	1.2	166.2	11.6	0.8
Liver / intrahepatic bile duct	137.6	13.2	1.0	64.4	4.6	0.5
Pancreas	128.8	13.4	1.0	156.4	10.7	0.8
Larynx	76.8	7.5	0.8	20.2	1.4	0.3
Lung and bronchus	628.4	64.3	2.3	518.2	36.2	1.4
Melanoma of the skin	86.0	8.5	0.8	87.6	6.3	0.6
Female breast				1429.2	103.2	2.4
Cervix uteri				154.4	11.4	0.8
Corpus uterus and NOS				376.0	26.7	1.2
Ovary				162.6	11.7	0.8
Prostate	1506.0	151.2	3.4			
Testis	42.8	3.6	0.5			
Urinary bladder (incl. in situ)	275.4	29.0	1.5	117.4	8.0	0.7
Kidney and renal pelvis	181.4	18.0	1.2	114.4	8.1	0.7
Brain and other nervous system	68.0	6.3	0.7	68.2	5.0	0.5
Thyroid	53.0	4.9	0.6	191.2	14.1	0.9
Hodgkin lymphoma	43.6	3.8	0.5	38.8	2.9	0.4
Non-Hodgkin lymphomas	212.6	20.7	1.3	203.2	14.4	0.9
Multiple myeloma	77.4	7.8	0.8	82.0	5.8	0.6
Leukemias	130.8	13.0	1.0	117.6	8.3	0.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Bedford Stuyvesant - Crown Heights

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	613.8	623.8	23.0	630.2	387.4	13.6
Oral cavity and pharynx	19.6	18.2	3.7	12.0	7.2	1.8
Esophagus	9.8	10.4	3.0	6.0	3.8	1.4
Stomach	20.4	24.2	4.9	16.2	10.2	2.2
Colorectal	59.8	64.4	7.6	85.4	53.4	5.1
Colon excluding rectum	42.4	46.7	6.6	63.8	40.2	4.4
Rectum & rectosigmoid	17.4	17.7	3.9	21.6	13.2	2.5
Liver / intrahepatic bile duct	13.4	12.4	3.1	7.0	4.4	1.5
Pancreas	14.0	14.4	3.5	19.0	11.9	2.4
Larynx	11.0	10.5	2.9	3.0	1.9	1.0
Lung and bronchus	73.2	74.9	8.0	61.2	38.2	4.3
Melanoma of the skin	2.2	2.1	1.3	3.0	1.7	0.9
Female breast				172.0	105.0	7.1
Cervix uteri				26.6	15.9	2.7
Corpus uterus and NOS				50.6	31.2	3.9
Ovary				20.2	12.3	2.4
Prostate	257.2	265.9	15.1			
Testis	3.6	2.7	1.3			
Urinary bladder (incl. in situ)	11.8	13.6	3.6	6.6	4.1	1.4
Kidney and renal pelvis	14.2	13.2	3.2	10.4	6.3	1.7
Brain and other nervous system	5.8	4.5	1.7	7.4	4.4	1.4
Thyroid	3.6	3.0	1.4	14.8	8.8	2.0
Hodgkin lymphoma	4.8	3.5	1.4	4.6	2.6	1.1
Non-Hodgkin lymphomas	22.6	20.5	3.9	21.6	13.1	2.5
Multiple myeloma	11.0	11.3	3.1	15.2	9.5	2.2
Leukemias	9.2	8.8	2.7	10.6	6.4	1.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Bensonhurst - Bay Ridge

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	496.4	475.7	18.7	544.4	387.0	15.1
Oral cavity and pharynx	13.4	12.8	3.1	8.6	6.1	1.9
Esophagus	5.2	5.0	1.9	2.0	1.2	0.8
Stomach	14.8	14.2	3.2	13.0	8.5	2.2
Colorectal	61.8	59.2	6.6	69.0	43.0	4.7
Colon excluding rectum	44.6	42.7	5.6	52.4	32.0	4.0
Rectum & rectosigmoid	17.2	16.6	3.5	16.6	11.0	2.5
Liver / intrahepatic bile duct	17.4	16.6	3.5	4.6	3.1	1.3
Pancreas	11.6	11.1	2.9	16.0	10.0	2.2
Larynx	8.4	8.0	2.4	1.8	1.3	0.9
Lung and bronchus	84.6	80.4	7.7	61.8	40.5	4.7
Melanoma of the skin	14.4	14.0	3.2	14.0	10.9	2.7
Female breast				147.6	111.3	8.3
Cervix uteri				8.6	7.3	2.2
Corpus uterus and NOS				38.4	29.2	4.2
Ovary				13.4	9.8	2.4
Prostate	103.2	97.8	8.4			
Testis	4.0	3.8	1.7			
Urinary bladder (incl. in situ)	40.4	38.7	5.3	16.6	10.5	2.3
Kidney and renal pelvis	20.0	19.2	3.8	14.6	10.1	2.4
Brain and other nervous system	7.0	7.0	2.3	9.0	7.1	2.2
Thyroid	7.6	7.5	2.4	20.6	18.3	3.6
Hodgkin lymphoma	3.0	2.9	1.5	2.8	2.5	1.3
Non-Hodgkin lymphomas	23.2	22.3	4.1	21.2	14.2	2.8
Multiple myeloma	7.6	7.2	2.3	6.0	3.8	1.4
Leukemias	13.0	13.1	3.2	15.0	10.7	2.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006
Borough Park

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	681.4	487.3	16.4	743.8	404.8	13.4
Oral cavity and pharynx	14.4	10.3	2.4	10.8	5.9	1.6
Esophagus	7.0	5.1	1.7	4.0	2.1	0.9
Stomach	29.0	20.7	3.4	19.4	9.7	2.0
Colorectal	95.4	68.2	6.1	102.4	51.7	4.6
Colon excluding rectum	68.2	48.8	5.2	76.4	37.8	3.9
Rectum & rectosigmoid	27.2	19.4	3.3	26.0	13.8	2.5
Liver / intrahepatic bile duct	22.2	15.8	2.9	9.0	4.7	1.4
Pancreas	20.8	14.8	2.8	21.8	10.3	2.0
Larynx	9.8	7.1	2.0	2.0	1.1	0.7
Lung and bronchus	81.6	59.1	5.8	70.2	35.7	3.8
Melanoma of the skin	17.0	12.1	2.6	13.2	7.7	1.9
Female breast				188.0	109.5	7.2
Cervix uteri				11.0	7.2	1.9
Corpus uterus and NOS				49.8	28.4	3.6
Ovary				28.4	16.2	2.7
Prostate	144.0	105.1	7.7			
Testis	6.2	4.1	1.5			
Urinary bladder (incl. in situ)	54.0	39.0	4.7	21.2	10.3	2.0
Kidney and renal pelvis	29.8	21.4	3.4	15.0	8.1	1.9
Brain and other nervous system	11.4	7.7	2.0	10.0	5.8	1.7
Thyroid	10.4	7.1	1.9	34.0	22.0	3.4
Hodgkin lymphoma	8.0	5.2	1.6	6.2	3.9	1.4
Non-Hodgkin lymphomas	32.2	22.6	3.5	30.0	16.0	2.6
Multiple myeloma	9.6	6.9	2.0	8.4	4.2	1.3
Leukemias	21.6	15.0	2.9	20.0	10.0	2.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Canarsie - Flatlands

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	431.0	528.5	22.6	456.0	383.1	15.8
Oral cavity and pharynx	10.8	12.9	3.5	4.6	3.9	1.6
Esophagus	4.0	5.1	2.3	2.2	1.9	1.1
Stomach	12.6	16.4	4.1	9.2	7.7	2.2
Colorectal	49.2	62.3	7.9	56.6	47.0	5.5
Colon excluding rectum	36.2	45.9	6.8	43.8	36.2	4.8
Rectum & rectosigmoid	13.0	16.5	4.0	12.8	10.8	2.7
Liver / intrahepatic bile duct	6.4	7.9	2.8	5.2	4.3	1.7
Pancreas	11.4	14.7	3.9	16.6	13.8	3.0
Larynx	3.0	3.5	1.8	1.6	1.3	0.9
Lung and bronchus	51.4	63.9	7.9	51.0	42.0	5.2
Melanoma of the skin	5.6	6.9	2.6	6.6	5.6	1.9
Female breast				130.0	109.3	8.4
Cervix uteri				13.0	11.0	2.7
Corpus uterus and NOS				33.2	27.5	4.2
Ovary				11.6	9.9	2.6
Prostate	155.0	185.5	13.2			
Testis	1.8	2.2	1.4			
Urinary bladder (incl. in situ)	25.2	32.1	5.7	7.0	6.0	2.0
Kidney and renal pelvis	16.2	19.5	4.3	10.6	8.9	2.4
Brain and other nervous system	7.2	8.4	2.8	4.6	4.1	1.7
Thyroid	3.8	4.4	2.0	13.4	11.7	2.8
Hodgkin lymphoma	3.8	4.5	2.0	2.8	2.6	1.4
Non-Hodgkin lymphomas	17.4	21.1	4.5	16.0	13.6	3.0
Multiple myeloma	6.2	7.4	2.7	8.0	6.7	2.1
Leukemias	11.4	14.1	3.7	11.0	9.5	2.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006
Coney Island - Sheepshead Bay

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	839.0	510.7	15.5	920.2	423.0	12.9
Oral cavity and pharynx	20.2	13.1	2.6	10.6	4.6	1.3
Esophagus	9.0	5.5	1.6	4.0	1.4	0.7
Stomach	33.6	20.3	3.1	24.6	10.5	2.0
Colorectal	122.4	73.6	5.9	120.0	48.6	4.0
Colon excluding rectum	83.6	49.9	4.8	90.0	35.9	3.5
Rectum & rectosigmoid	38.8	23.6	3.3	30.0	12.7	2.1
Liver / intrahepatic bile duct	17.0	10.5	2.2	10.8	4.9	1.4
Pancreas	23.4	13.9	2.5	29.4	11.7	2.0
Larynx	14.6	8.9	2.0	3.2	1.3	0.7
Lung and bronchus	119.6	71.6	5.8	93.4	39.5	3.7
Melanoma of the skin	24.6	15.6	2.8	23.0	11.1	2.2
Female breast				236.2	118.4	7.0
Cervix uteri				16.0	9.5	2.2
Corpus uterus and NOS				60.0	28.3	3.3
Ovary				29.4	14.5	2.5
Prostate	169.0	100.8	6.8			
Testis	5.2	3.9	1.5			
Urinary bladder (incl. in situ)	67.2	40.2	4.3	28.0	11.2	1.9
Kidney and renal pelvis	46.4	28.6	3.7	25.4	11.1	2.0
Brain and other nervous system	9.6	6.4	1.8	11.0	5.7	1.6
Thyroid	10.6	6.8	1.9	34.0	20.3	3.2
Hodgkin lymphoma	4.8	3.6	1.4	3.8	2.5	1.1
Non-Hodgkin lymphomas	36.6	23.2	3.4	40.2	17.8	2.6
Multiple myeloma	10.0	6.0	1.7	8.2	3.5	1.1
Leukemias	28.8	17.4	2.9	24.8	11.3	2.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Downtown - Heights - Slope

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	409.0	505.7	22.7	422.2	374.7	16.2
Oral cavity and pharynx	13.6	14.6	3.6	5.6	5.0	1.9
Esophagus	7.2	9.1	3.1	2.8	2.6	1.4
Stomach	12.0	15.9	4.1	8.2	7.1	2.2
Colorectal	47.4	62.5	8.2	49.2	44.8	5.7
Colon excluding rectum	32.6	43.2	6.8	36.4	32.9	4.9
Rectum & rectosigmoid	14.8	19.3	4.5	12.8	11.8	2.9
Liver / intrahepatic bile duct	14.6	16.9	4.0	4.8	4.5	1.8
Pancreas	9.2	11.8	3.5	11.2	10.2	2.7
Larynx	6.2	7.7	2.8	1.8	1.6	1.0
Lung and bronchus	48.8	63.9	8.3	42.4	39.3	5.3
Melanoma of the skin	11.6	11.7	3.2	14.6	11.8	2.8
Female breast				125.4	110.0	8.7
Cervix uteri				9.8	8.6	2.4
Corpus uterus and NOS				27.8	25.1	4.2
Ovary				12.6	11.5	2.9
Prostate	114.2	147.6	12.4			
Testis	8.8	6.8	2.1			
Urinary bladder (incl. in situ)	19.2	25.1	5.2	10.0	9.1	2.6
Kidney and renal pelvis	13.2	15.4	3.9	8.0	7.0	2.2
Brain and other nervous system	5.8	6.2	2.3	5.0	4.2	1.7
Thyroid	5.0	4.6	1.9	16.6	13.5	3.0
Hodgkin lymphoma	5.0	4.4	1.8	3.4	2.3	1.2
Non-Hodgkin lymphomas	17.8	21.3	4.6	16.6	14.9	3.3
Multiple myeloma	7.8	10.9	3.5	4.4	4.2	1.8
Leukemias	9.4	11.9	3.5	6.8	6.1	2.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006
East Flatbush - Flatbush**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	595.2	531.5	20.2	584.2	330.6	12.1
Oral cavity and pharynx	14.2	11.2	2.7	8.2	4.5	1.4
Esophagus	7.0	5.7	2.0	3.2	2.0	1.0
Stomach	17.6	17.7	3.9	14.8	8.8	2.0
Colorectal	63.2	59.2	6.9	68.0	39.3	4.2
Colon excluding rectum	46.8	45.2	6.2	50.2	29.2	3.7
Rectum & rectosigmoid	16.4	14.0	3.2	17.8	10.1	2.1
Liver / intrahepatic bile duct	11.6	9.7	2.6	8.0	4.6	1.5
Pancreas	12.4	12.0	3.2	17.6	10.9	2.3
Larynx	7.2	6.1	2.1	1.4	0.7	0.5
Lung and bronchus	47.8	43.7	5.9	42.6	24.9	3.4
Melanoma of the skin	2.8	2.8	1.5	4.8	3.0	1.2
Female breast				173.8	94.9	6.4
Cervix uteri				25.2	13.9	2.4
Corpus uterus and NOS				46.4	25.6	3.3
Ovary				14.8	8.2	1.9
Prostate	280.6	246.2	13.5			
Testis	2.4	1.6	0.9			
Urinary bladder (incl. in situ)	17.8	19.0	4.2	9.0	5.8	1.7
Kidney and renal pelvis	14.6	12.7	3.1	10.6	6.0	1.6
Brain and other nervous system	5.0	3.8	1.6	7.0	3.9	1.3
Thyroid	2.8	2.3	1.3	21.4	11.6	2.2
Hodgkin lymphoma	1.6	1.1	0.8	3.6	2.0	0.9
Non-Hodgkin lymphomas	21.2	17.2	3.4	20.8	11.8	2.3
Multiple myeloma	10.0	9.4	2.7	16.6	9.7	2.1
Leukemias	14.2	13.0	3.3	12.4	7.0	1.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006
East New York**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	290.2	549.3	30.3	270.4	338.6	18.5
Oral cavity and pharynx	9.0	15.6	4.9	4.0	5.0	2.2
Esophagus	3.0	6.1	3.4	2.4	3.3	1.9
Stomach	10.2	18.5	5.4	8.6	11.8	3.6
Colorectal	31.0	61.7	10.6	26.6	34.7	6.0
Colon excluding rectum	20.6	44.2	9.3	20.0	26.0	5.2
Rectum & rectosigmoid	10.4	17.5	5.0	6.6	8.7	3.0
Liver / intrahepatic bile duct	6.8	10.3	3.6	4.0	5.1	2.3
Pancreas	7.6	15.0	5.1	8.8	12.5	3.8
Larynx	4.4	7.7	3.3	2.0	2.2	1.4
Lung and bronchus	28.4	55.9	9.8	24.0	31.4	5.7
Melanoma of the skin	1.0	1.5	1.4	0.2	0.3	0.7
Female breast				75.8	92.8	9.5
Cervix uteri				15.2	18.7	4.3
Corpus uterus and NOS				20.8	25.7	5.0
Ovary				8.2	10.2	3.2
Prostate	108.2	210.8	18.8			
Testis	1.6	2.0	1.4			
Urinary bladder (incl. in situ)	10.4	24.8	7.2	4.6	6.3	2.6
Kidney and renal pelvis	6.6	11.3	4.1	6.4	7.9	2.8
Brain and other nervous system	4.2	6.6	3.0	2.8	3.3	1.7
Thyroid	1.8	2.5	1.6	8.2	8.8	2.7
Hodgkin lymphoma	3.8	5.8	2.8	2.2	2.3	1.4
Non-Hodgkin lymphomas	11.2	17.3	4.8	11.4	13.8	3.7
Multiple myeloma	7.4	14.3	5.0	6.0	7.7	2.8
Leukemias	7.2	13.3	4.9	4.4	5.3	2.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Greenpoint

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	196.0	437.4	28.1	197.6	329.0	20.6
Oral cavity and pharynx	5.4	11.0	4.2	3.4	5.8	2.8
Esophagus	3.2	7.1	3.5	0.6	1.1	1.2
Stomach	7.2	17.0	5.7	6.8	11.2	3.8
Colorectal	29.2	67.4	11.2	20.8	34.5	6.6
Colon excluding rectum	19.8	46.8	9.4	13.6	22.6	5.4
Rectum & rectosigmoid	9.4	20.6	6.0	7.2	11.9	3.9
Liver / intrahepatic bile duct	8.2	17.7	5.5	4.0	6.6	2.9
Pancreas	6.4	14.7	5.2	5.4	8.8	3.3
Larynx	3.0	6.4	3.3	1.2	2.0	1.6
Lung and bronchus	25.8	60.7	10.7	23.6	38.9	7.0
Melanoma of the skin	3.0	5.3	2.8	4.2	6.8	3.0
Female breast				47.6	81.7	10.4
Cervix uteri				7.2	12.1	4.0
Corpus uterus and NOS				13.4	22.8	5.5
Ovary				6.0	9.8	3.5
Prostate	41.6	98.2	13.6			
Testis	4.0	5.1	2.3			
Urinary bladder (incl. in situ)	10.8	27.3	7.4	5.0	8.2	3.2
Kidney and renal pelvis	6.4	13.8	4.9	3.0	5.2	2.6
Brain and other nervous system	5.4	9.7	3.8	3.4	5.3	2.5
Thyroid	2.0	3.2	2.0	8.4	13.2	4.1
Hodgkin lymphoma	2.8	4.1	2.2	2.8	4.6	2.4
Non-Hodgkin lymphomas	7.2	14.8	4.9	7.2	11.7	3.9
Multiple myeloma	1.8	4.5	3.0	2.0	3.5	2.2
Leukemias	5.6	11.3	4.4	2.4	3.6	2.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Sunset Park

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	193.6	452.2	29.8	200.0	366.1	22.8
Oral cavity and pharynx	9.8	19.3	5.6	4.4	7.7	3.3
Esophagus	2.2	5.6	3.4	1.0	1.9	1.6
Stomach	8.8	20.4	6.2	8.2	15.3	4.7
Colorectal	22.4	54.2	10.4	22.4	41.3	7.7
Colon excluding rectum	15.6	38.8	9.0	17.0	31.5	6.7
Rectum & rectosigmoid	6.8	15.4	5.3	5.4	9.8	3.7
Liver / intrahepatic bile duct	9.0	17.7	5.3	2.4	4.5	2.6
Pancreas	5.4	13.7	5.4	3.6	6.6	3.1
Larynx	1.8	4.1	2.8	0.8	1.5	1.5
Lung and bronchus	28.6	69.7	11.9	18.6	35.5	7.3
Melanoma of the skin	2.6	6.5	3.7	2.6	4.6	2.5
Female breast				50.6	92.1	11.4
Cervix uteri				5.2	9.5	3.7
Corpus uterus and NOS				15.6	28.4	6.3
Ovary				7.2	13.1	4.3
Prostate	37.4	93.7	13.9			
Testis	2.8	3.9	2.1			
Urinary bladder (incl. in situ)	9.6	24.4	7.2	3.8	7.4	3.3
Kidney and renal pelvis	5.0	10.9	4.4	3.6	6.8	3.1
Brain and other nervous system	3.2	5.9	3.1	3.2	5.3	2.6
Thyroid	2.8	5.5	2.9	11.8	20.1	5.2
Hodgkin lymphoma	2.2	4.4	2.8	2.2	3.7	2.2
Non-Hodgkin lymphomas	10.0	22.9	6.7	6.2	11.4	4.1
Multiple myeloma	1.8	4.2	2.8	2.6	5.0	2.7
Leukemias	3.6	7.4	3.6	4.0	7.3	3.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006
Williamsburg - Bushwick

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	309.4	528.8	27.9	311.2	351.9	17.6
Oral cavity and pharynx	12.0	18.9	5.0	5.0	5.6	2.2
Esophagus	7.2	11.9	4.1	2.8	3.1	1.6
Stomach	11.2	20.8	5.8	11.4	13.2	3.5
Colorectal	39.4	69.9	10.3	37.4	44.0	6.3
Colon excluding rectum	27.2	49.2	8.7	28.2	33.4	5.5
Rectum & rectosigmoid	12.2	20.7	5.5	9.2	10.6	3.1
Liver / intrahepatic bile duct	11.4	18.2	5.0	4.8	5.9	2.4
Pancreas	6.4	12.3	4.5	7.0	8.1	2.7
Larynx	7.4	11.3	3.7	1.4	1.5	1.1
Lung and bronchus	38.8	67.8	10.0	29.6	34.8	5.6
Melanoma of the skin	1.4	2.3	1.9	1.4	1.3	1.0
Female breast				82.2	92.8	9.0
Cervix uteri				16.4	18.0	3.9
Corpus uterus and NOS				20.2	22.7	4.4
Ovary				10.8	11.9	3.2
Prostate	95.2	168.7	15.9			
Testis	2.4	2.3	1.3			
Urinary bladder (incl. in situ)	9.2	19.8	6.0	5.6	7.0	2.6
Kidney and renal pelvis	9.0	14.1	4.4	6.8	7.7	2.6
Brain and other nervous system	3.4	4.9	2.5	4.8	4.9	2.0
Thyroid	2.6	3.9	2.3	8.2	8.4	2.6
Hodgkin lymphoma	3.8	4.4	2.1	4.4	4.4	1.9
Non-Hodgkin lymphomas	13.0	20.5	5.3	12.2	13.6	3.4
Multiple myeloma	4.2	7.8	3.5	4.6	5.4	2.2
Leukemias	6.8	9.6	3.6	6.2	6.6	2.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006
New York (Manhattan)**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	3801.0	550.1	7.9	3897.6	419.3	6.0
Oral cavity and pharynx	121.0	16.5	1.3	53.8	5.8	0.7
Esophagus	52.6	7.6	0.9	28.8	3.0	0.5
Stomach	96.4	14.3	1.3	72.8	7.7	0.8
Colorectal	361.6	53.9	2.5	391.4	40.9	1.8
Colon excluding rectum	257.8	39.0	2.2	299.0	31.1	1.6
Rectum & rectosigmoid	103.8	14.9	1.3	92.4	9.8	0.9
Liver / intrahepatic bile duct	129.0	17.9	1.4	46.2	5.0	0.7
Pancreas	102.8	15.5	1.4	111.8	11.6	1.0
Larynx	49.2	7.2	0.9	13.0	1.4	0.4
Lung and bronchus	454.8	68.4	2.8	434.8	46.6	2.0
Melanoma of the skin	166.2	22.7	1.6	142.4	14.8	1.1
Female breast				1142.4	125.2	3.3
Cervix uteri				77.2	8.4	0.8
Corpus uterus and NOS				254.0	27.6	1.5
Ovary				130.8	14.3	1.1
Prostate	1058.4	153.7	4.2			
Testis	50.2	5.4	0.7			
Urinary bladder (incl. in situ)	194.8	30.3	1.9	82.4	8.5	0.8
Kidney and renal pelvis	128.2	18.2	1.4	73.6	8.0	0.8
Brain and other nervous system	59.8	8.5	1.0	52.2	5.8	0.7
Thyroid	53.2	6.7	0.8	151.6	16.3	1.2
Hodgkin lymphoma	31.2	3.8	0.6	24.6	2.6	0.5
Non-Hodgkin lymphomas	200.8	28.1	1.8	154.2	16.6	1.2
Multiple myeloma	51.0	7.7	1.0	53.0	5.6	0.7
Leukemias	90.4	13.6	1.3	76.0	8.3	0.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006
Central Harlem - Morningside Heights

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	333.6	586.7	28.6	358.6	409.3	19.1
Oral cavity and pharynx	10.8	17.6	4.8	4.8	5.5	2.2
Esophagus	4.6	8.2	3.4	4.6	5.2	2.1
Stomach	11.4	20.9	5.5	9.4	10.0	2.9
Colorectal	31.6	57.2	9.0	44.2	49.4	6.6
Colon excluding rectum	23.4	43.1	7.9	33.6	37.1	5.7
Rectum & rectosigmoid	8.2	14.2	4.4	10.6	12.2	3.3
Liver / intrahepatic bile duct	13.8	23.3	5.6	5.2	6.1	2.3
Pancreas	9.4	17.2	5.0	10.8	11.7	3.2
Larynx	6.6	11.3	3.9	2.8	3.4	1.8
Lung and bronchus	48.4	86.4	11.0	44.8	51.8	6.8
Melanoma of the skin	1.6	2.5	1.7	2.0	2.4	1.5
Female breast				98.4	114.8	10.2
Cervix uteri				12.2	14.4	3.6
Corpus uterus and NOS				22.8	26.0	4.8
Ovary				12.6	14.7	3.7
Prostate	111.0	200.1	16.8			
Testis	1.4	1.8	1.4			
Urinary bladder (incl. in situ)	10.8	19.6	5.3	5.4	5.4	2.1
Kidney and renal pelvis	10.2	16.7	4.6	7.6	8.5	2.7
Brain and other nervous system	1.6	2.4	1.7	2.0	2.4	1.5
Thyroid	2.8	4.3	2.3	8.8	10.3	3.1
Hodgkin lymphoma	2.4	3.6	2.1	2.4	2.6	1.5
Non-Hodgkin lymphomas	14.0	22.9	5.4	10.8	12.6	3.4
Multiple myeloma	7.4	13.2	4.3	7.0	7.7	2.6
Leukemias	6.8	11.7	4.0	6.2	6.9	2.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Chelsea - Clinton

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	360.8	561.5	27.1	312.2	438.4	22.2
Oral cavity and pharynx	11.8	15.9	4.2	4.2	5.8	2.5
Esophagus	4.4	6.4	2.8	1.8	2.4	1.6
Stomach	6.4	10.3	3.7	5.2	6.9	2.7
Colorectal	31.4	50.7	8.2	29.0	39.4	6.5
Colon excluding rectum	21.6	35.9	7.0	22.4	29.9	5.6
Rectum & rectosigmoid	9.8	14.8	4.3	6.6	9.6	3.3
Liver / intrahepatic bile duct	12.2	17.6	4.6	4.2	6.2	2.7
Pancreas	10.8	18.7	5.1	9.0	12.2	3.6
Larynx	4.4	7.2	3.1	0.2	0.3	0.6
Lung and bronchus	43.6	72.0	9.9	34.4	48.8	7.4
Melanoma of the skin	16.4	24.2	5.8	14.0	19.1	4.6
Female breast				92.8	131.9	12.1
Cervix uteri				4.6	6.4	2.7
Corpus uterus and NOS				20.8	29.1	5.6
Ovary				12.6	17.9	4.4
Prostate	88.0	139.7	13.4			
Testis	6.6	9.1	3.9			
Urinary bladder (incl. in situ)	20.4	35.7	7.2	8.0	10.8	3.4
Kidney and renal pelvis	12.8	18.9	4.8	5.4	7.6	2.9
Brain and other nervous system	6.0	9.9	3.8	5.2	8.1	3.5
Thyroid	3.0	3.8	2.0	12.2	16.9	4.4
Hodgkin lymphoma	4.8	5.8	2.5	1.8	2.7	1.8
Non-Hodgkin lymphomas	21.8	30.0	5.8	12.0	17.4	4.5
Multiple myeloma	4.6	7.9	3.4	3.8	5.0	2.3
Leukemias	7.4	12.9	4.4	5.6	7.6	2.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006
East Harlem

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	250.8	611.0	34.2	260.4	419.0	23.0
Oral cavity and pharynx	8.4	20.1	6.1	2.8	4.4	2.3
Esophagus	5.6	13.5	5.1	3.6	5.5	2.5
Stomach	8.4	21.6	6.6	7.2	11.3	3.7
Colorectal	25.8	64.2	11.2	34.6	53.8	8.1
Colon excluding rectum	16.6	42.1	9.1	25.0	38.9	6.9
Rectum & rectosigmoid	9.2	22.1	6.4	9.6	14.8	4.3
Liver / intrahepatic bile duct	15.0	35.2	8.0	4.4	6.8	2.9
Pancreas	6.0	15.1	5.4	7.6	11.3	3.6
Larynx	3.6	8.9	4.1	2.6	4.4	2.4
Lung and bronchus	32.8	80.0	12.3	30.2	47.4	7.6
Melanoma of the skin	1.4	3.4	2.6	3.8	6.1	2.8
Female breast				66.4	110.2	12.0
Cervix uteri				9.2	15.8	4.6
Corpus uterus and NOS				14.0	22.7	5.4
Ovary				7.0	11.4	3.8
Prostate	71.4	179.3	18.8			
Testis	2.4	4.1	2.4			
Urinary bladder (incl. in situ)	8.6	21.8	6.6	5.4	8.3	3.2
Kidney and renal pelvis	8.8	20.7	6.2	6.4	10.7	3.7
Brain and other nervous system	2.4	5.6	3.3	3.8	6.1	2.8
Thyroid	1.2	2.3	1.9	6.0	10.6	3.8
Hodgkin lymphoma	1.8	3.5	2.3	2.4	4.2	2.4
Non-Hodgkin lymphomas	13.4	30.8	7.5	10.2	16.9	4.7
Multiple myeloma	4.4	11.2	4.7	4.8	7.6	3.1
Leukemias	5.2	12.1	4.8	3.4	5.6	2.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Gramercy Park - Murray Hill

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	386.2	597.0	27.7	391.0	467.2	21.3
Oral cavity and pharynx	10.2	15.4	4.3	5.6	7.3	3.1
Esophagus	4.4	7.0	2.9	2.0	2.3	1.4
Stomach	5.8	9.1	3.3	4.8	5.7	2.3
Colorectal	36.6	57.2	8.4	35.2	41.3	6.2
Colon excluding rectum	26.6	41.7	7.2	28.4	32.9	5.5
Rectum & rectosigmoid	10.0	15.4	4.3	6.8	8.4	2.9
Liver / intrahepatic bile duct	8.4	13.8	4.7	2.4	2.8	1.6
Pancreas	11.0	17.1	4.6	11.6	13.2	3.4
Larynx	3.4	5.1	2.5	1.4	1.5	1.1
Lung and bronchus	39.8	62.8	8.8	49.4	58.2	7.3
Melanoma of the skin	28.4	41.3	6.9	21.2	24.3	4.8
Female breast				118.2	144.4	11.8
Cervix uteri				4.8	5.0	2.1
Corpus uterus and NOS				24.8	29.4	5.2
Ovary				14.6	17.0	3.9
Prostate	103.4	153.0	13.3			
Testis	6.0	7.0	2.6			
Urinary bladder (incl. in situ)	22.6	36.8	6.9	11.0	12.6	3.4
Kidney and renal pelvis	13.4	20.5	5.0	5.6	6.7	2.5
Brain and other nervous system	9.2	19.4	6.9	5.2	7.3	3.5
Thyroid	6.0	8.5	3.1	14.0	16.5	4.0
Hodgkin lymphoma	3.4	5.1	2.5	1.4	2.2	2.2
Non-Hodgkin lymphomas	23.0	35.8	6.9	15.2	17.8	4.1
Multiple myeloma	4.4	7.0	3.0	4.4	5.3	2.2
Leukemias	10.4	16.5	4.6	7.6	9.3	3.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006
Greenwich Village - Soho**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	205.4	499.2	31.7	177.8	384.7	25.7
Oral cavity and pharynx	6.8	14.2	4.9	3.2	6.9	3.4
Esophagus	2.0	4.6	3.0	1.2	2.6	2.1
Stomach	3.4	8.7	4.2	2.8	5.9	3.1
Colorectal	17.2	43.1	9.3	15.8	34.6	7.7
Colon excluding rectum	11.0	29.2	7.9	13.4	29.6	7.2
Rectum & rectosigmoid	6.2	13.9	5.0	2.4	5.0	2.9
Liver / intrahepatic bile duct	6.0	14.4	5.3	1.0	2.9	2.7
Pancreas	5.0	13.1	5.3	4.6	10.0	4.1
Larynx	2.4	6.0	3.5	0.8	1.9	1.9
Lung and bronchus	29.0	75.4	12.6	21.0	47.2	9.1
Melanoma of the skin	11.4	23.0	6.3	8.4	16.7	5.2
Female breast				54.2	115.7	13.9
Cervix uteri				3.0	6.2	3.2
Corpus uterus and NOS				12.0	25.9	6.6
Ovary				5.0	10.8	4.3
Prostate	50.8	121.9	15.3			
Testis	2.8	4.4	2.4			
Urinary bladder (incl. in situ)	11.2	31.0	8.4	3.0	6.9	3.5
Kidney and renal pelvis	7.4	17.7	5.9	2.0	4.3	2.7
Brain and other nervous system	4.0	10.2	4.9	3.2	8.8	4.9
Thyroid	3.2	6.0	3.0	9.8	20.8	5.9
Hodgkin lymphoma	1.0	2.4	2.2	1.0	2.1	1.8
Non-Hodgkin lymphomas	10.4	22.3	6.2	8.4	18.1	5.7
Multiple myeloma	2.4	6.4	3.7	1.4	3.1	2.3
Leukemias	6.8	20.1	7.3	3.8	8.0	3.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Lower Manhattan

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	71.6	518.9	55.7	67.4	366.8	39.9
Oral cavity and pharynx	3.6	24.9	11.8	0.4	2.4	3.3
Esophagus	0.8	7.5	7.4	0.4	2.4	3.3
Stomach	1.8	14.2	9.5	0.8	3.6	3.6
Colorectal	6.4	50.1	17.9	9.4	49.0	14.2
Colon excluding rectum	4.6	36.3	15.3	7.2	37.2	12.4
Rectum & rectosigmoid	1.8	13.8	9.2	2.2	11.7	7.0
Liver / intrahepatic bile duct	3.2	23.3	11.8	1.4	7.8	5.9
Pancreas	1.2	9.4	7.7	2.4	12.2	7.0
Larynx	0.4	3.2	4.5	0.0	0.0	0.0
Lung and bronchus	11.8	91.8	24.0	8.0	43.2	13.5
Melanoma of the skin	3.6	20.2	9.8	3.6	17.1	8.1
Female breast				17.0	96.1	20.6
Cervix uteri				0.4	1.8	2.6
Corpus uterus and NOS				5.2	31.0	12.0
Ovary				1.4	7.4	5.6
Prostate	18.0	140.4	29.5			
Testis	2.4	8.9	5.2			
Urinary bladder (incl. in situ)	2.8	21.4	11.6	0.8	4.1	4.1
Kidney and renal pelvis	1.2	8.4	6.8	1.2	6.6	5.4
Brain and other nervous system	1.6	11.1	8.1	1.4	8.0	6.3
Thyroid	1.2	6.5	5.6	3.6	19.4	9.1
Hodgkin lymphoma	0.8	5.1	5.4	0.2	1.2	2.4
Non-Hodgkin lymphomas	3.4	22.4	11.1	1.8	10.2	6.7
Multiple myeloma	1.0	8.2	7.3	1.4	7.4	5.6
Leukemias	1.0	6.8	6.1	0.6	3.2	3.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Union Square - Lower East Side

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	497.0	555.3	22.0	469.8	399.9	16.4
Oral cavity and pharynx	23.4	25.4	4.6	7.0	5.8	1.9
Esophagus	6.2	6.9	2.4	2.8	2.3	1.2
Stomach	21.6	24.6	4.7	14.2	11.8	2.8
Colorectal	52.4	59.6	7.3	53.6	43.8	5.3
Colon excluding rectum	37.4	43.0	6.2	42.0	34.2	4.7
Rectum & rectosigmoid	15.0	16.6	3.8	11.6	9.6	2.5
Liver / intrahepatic bile duct	30.2	32.2	5.2	9.2	7.9	2.3
Pancreas	12.8	14.7	3.6	12.6	9.9	2.5
Larynx	6.8	7.7	2.6	1.8	1.6	1.0
Lung and bronchus	68.4	79.3	8.5	53.4	44.0	5.3
Melanoma of the skin	12.4	12.9	3.2	11.6	9.8	2.6
Female breast				118.8	104.3	8.5
Cervix uteri				10.6	9.9	2.7
Corpus uterus and NOS				31.8	27.8	4.3
Ovary				13.8	12.1	2.9
Prostate	106.0	120.3	10.3			
Testis	6.8	5.5	1.9			
Urinary bladder (incl. in situ)	24.8	29.4	5.2	9.0	7.4	2.2
Kidney and renal pelvis	16.2	18.7	4.1	10.6	8.9	2.4
Brain and other nervous system	7.2	7.8	2.6	7.6	7.1	2.4
Thyroid	8.2	8.0	2.5	21.0	18.6	3.6
Hodgkin lymphoma	3.4	3.1	1.5	3.0	2.7	1.4
Non-Hodgkin lymphomas	25.4	27.4	4.8	18.0	14.8	3.1
Multiple myeloma	4.8	5.5	2.2	6.6	5.6	1.9
Leukemias	10.4	11.8	3.3	11.2	9.5	2.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006
Upper East Side

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	637.0	607.7	21.6	732.0	502.4	16.8
Oral cavity and pharynx	18.4	16.4	3.4	9.0	6.4	2.0
Esophagus	7.4	7.2	2.3	5.0	3.3	1.3
Stomach	10.8	10.3	2.8	6.8	4.5	1.5
Colorectal	61.8	59.5	6.7	54.8	35.0	4.3
Colon excluding rectum	47.0	45.6	5.9	42.2	26.7	3.7
Rectum & rectosigmoid	14.8	13.9	3.2	12.6	8.3	2.1
Liver / intrahepatic bile duct	9.4	8.9	2.6	4.4	2.8	1.2
Pancreas	21.4	20.8	4.0	19.6	12.7	2.6
Larynx	7.4	7.1	2.3	0.6	0.4	0.4
Lung and bronchus	65.8	65.1	7.1	89.6	60.4	5.7
Melanoma of the skin	55.6	52.6	6.3	44.2	31.2	4.4
Female breast				236.4	164.1	9.5
Cervix uteri				8.2	5.4	1.7
Corpus uterus and NOS				51.4	34.9	4.3
Ovary				25.4	17.2	3.0
Prostate	165.6	150.9	10.4			
Testis	8.4	7.9	2.6			
Urinary bladder (incl. in situ)	42.0	41.5	5.7	19.4	12.7	2.6
Kidney and renal pelvis	24.8	23.2	4.2	10.4	7.3	2.0
Brain and other nervous system	10.4	10.7	3.1	8.0	6.0	2.0
Thyroid	14.2	13.0	3.2	28.0	20.8	3.7
Hodgkin lymphoma	4.8	5.2	2.4	3.8	2.9	1.5
Non-Hodgkin lymphomas	33.8	32.7	5.0	29.0	19.9	3.4
Multiple myeloma	7.8	7.7	2.4	6.6	4.3	1.5
Leukemias	19.0	19.7	4.1	12.8	9.3	2.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006
Upper West Side

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	548.8	529.3	20.2	631.6	447.1	15.9
Oral cavity and pharynx	14.0	12.0	2.8	10.4	7.1	2.0
Esophagus	9.6	9.0	2.6	4.6	3.0	1.2
Stomach	12.8	13.3	3.3	8.4	5.6	1.7
Colorectal	51.2	50.7	6.3	55.4	37.8	4.5
Colon excluding rectum	36.0	35.9	5.3	40.8	27.5	3.9
Rectum & rectosigmoid	15.2	14.8	3.4	14.6	10.2	2.4
Liver / intrahepatic bile duct	12.8	12.0	3.0	5.0	3.6	1.4
Pancreas	12.8	13.0	3.2	17.6	11.8	2.5
Larynx	5.4	5.2	2.0	1.6	1.1	0.8
Lung and bronchus	60.8	60.8	7.0	63.0	44.2	5.0
Melanoma of the skin	28.4	25.7	4.4	30.6	21.8	3.5
Female breast				200.2	143.7	9.0
Cervix uteri				8.4	5.7	1.8
Corpus uterus and NOS				41.6	29.8	4.1
Ovary				22.2	16.3	3.1
Prostate	165.4	156.6	10.8			
Testis	9.2	7.8	2.3			
Urinary bladder (incl. in situ)	33.4	34.7	5.4	11.8	8.1	2.1
Kidney and renal pelvis	19.0	17.6	3.6	11.8	8.2	2.1
Brain and other nervous system	8.8	9.3	2.9	9.8	7.2	2.0
Thyroid	9.0	7.3	2.2	27.8	20.2	3.4
Hodgkin lymphoma	2.8	2.5	1.4	4.4	3.3	1.4
Non-Hodgkin lymphomas	32.0	31.2	5.0	26.4	19.0	3.4
Multiple myeloma	4.8	4.9	2.0	7.0	4.9	1.6
Leukemias	11.8	11.8	3.1	12.8	9.8	2.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Washington Heights - Inwood

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	494.0	505.7	20.6	483.4	334.3	13.4
Oral cavity and pharynx	13.4	12.9	3.2	6.4	4.5	1.6
Esophagus	7.6	7.9	2.6	2.6	1.7	1.0
Stomach	13.6	14.1	3.4	12.8	9.0	2.2
Colorectal	45.6	48.6	6.5	58.4	39.7	4.6
Colon excluding rectum	32.4	35.0	5.6	43.0	29.1	3.9
Rectum & rectosigmoid	13.2	13.6	3.4	15.4	10.6	2.4
Liver / intrahepatic bile duct	16.8	17.0	3.7	7.8	5.5	1.7
Pancreas	12.2	12.9	3.3	15.4	10.7	2.4
Larynx	8.6	9.2	2.8	1.2	0.8	0.7
Lung and bronchus	52.8	57.6	7.1	39.6	27.5	3.9
Melanoma of the skin	6.4	6.4	2.3	2.8	2.0	1.0
Female breast				135.8	94.5	7.1
Cervix uteri				15.6	10.8	2.4
Corpus uterus and NOS				29.0	20.2	3.3
Ovary				16.0	11.1	2.5
Prostate	175.0	180.0	12.2			
Testis	4.0	2.9	1.3			
Urinary bladder (incl. in situ)	17.0	19.2	4.2	8.6	5.8	1.8
Kidney and renal pelvis	14.0	13.3	3.2	12.6	8.8	2.2
Brain and other nervous system	8.4	7.4	2.3	6.0	4.1	1.5
Thyroid	4.4	3.7	1.6	20.2	13.8	2.7
Hodgkin lymphoma	6.2	5.0	1.8	4.2	2.8	1.2
Non-Hodgkin lymphomas	22.2	20.8	4.0	22.2	15.5	2.9
Multiple myeloma	9.4	10.2	3.0	9.0	6.4	1.9
Leukemias	11.0	11.2	3.1	11.6	8.1	2.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Queens

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	4808.2	484.6	6.2	4977.8	369.9	4.6
Oral cavity and pharynx	124.4	12.0	0.9	65.8	4.9	0.5
Esophagus	64.4	6.5	0.7	34.8	2.5	0.4
Stomach	162.0	16.4	1.1	123.0	8.8	0.7
Colorectal	544.6	55.8	2.1	610.4	43.4	1.6
Colon excluding rectum	376.8	38.9	1.8	453.0	32.0	1.3
Rectum & rectosigmoid	167.8	16.9	1.2	157.4	11.4	0.8
Liver / intrahepatic bile duct	138.2	13.3	1.0	58.4	4.3	0.5
Pancreas	121.6	12.4	1.0	150.0	10.4	0.8
Larynx	63.4	6.2	0.7	14.6	1.1	0.2
Lung and bronchus	626.4	64.3	2.3	524.6	38.2	1.5
Melanoma of the skin	95.2	9.7	0.9	86.2	6.4	0.6
Female breast				1369.2	104.2	2.5
Cervix uteri				122.6	9.7	0.8
Corpus uterus and NOS				355.8	26.7	1.2
Ovary				179.6	13.6	0.9
Prostate	1401.8	141.3	3.3			
Testis	47.4	4.0	0.5			
Urinary bladder (incl. in situ)	304.2	32.1	1.6	116.6	8.2	0.7
Kidney and renal pelvis	182.8	17.9	1.2	108.6	8.1	0.7
Brain and other nervous system	75.0	7.3	0.7	61.4	4.8	0.5
Thyroid	52.6	4.9	0.6	176.8	14.2	0.9
Hodgkin lymphoma	32.6	2.9	0.5	31.0	2.6	0.4
Non-Hodgkin lymphomas	196.0	19.2	1.2	194.8	14.4	0.9
Multiple myeloma	67.4	6.9	0.7	75.2	5.4	0.6
Leukemias	137.2	13.9	1.1	104.6	7.8	0.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Bayside - Little Neck

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	246.8	493.2	27.6	281.2	436.1	23.4
Oral cavity and pharynx	5.2	10.6	4.1	4.0	6.3	2.8
Esophagus	1.6	3.2	2.2	2.0	2.9	1.8
Stomach	7.0	13.9	4.6	4.8	7.3	3.0
Colorectal	32.8	65.4	10.0	32.4	46.5	7.3
Colon excluding rectum	22.6	45.1	8.3	24.0	34.3	6.3
Rectum & rectosigmoid	10.2	20.3	5.6	8.4	12.1	3.8
Liver / intrahepatic bile duct	7.8	15.3	4.8	2.4	3.5	2.0
Pancreas	6.6	13.1	4.5	10.0	13.8	3.9
Larynx	2.6	5.2	2.8	0.6	0.9	1.1
Lung and bronchus	28.6	56.4	9.3	35.4	52.1	7.8
Melanoma of the skin	8.2	16.5	5.1	5.8	9.9	3.7
Female breast				81.6	132.5	13.1
Cervix uteri				3.6	6.6	3.1
Corpus uterus and NOS				18.6	28.9	5.9
Ovary				7.4	12.5	4.1
Prostate	63.6	125.8	13.9			
Testis	1.8	4.4	2.9			
Urinary bladder (incl. in situ)	20.2	40.1	7.8	9.8	13.9	4.0
Kidney and renal pelvis	10.8	21.7	5.8	6.8	9.9	3.4
Brain and other nervous system	4.2	9.0	3.9	3.6	7.7	3.7
Thyroid	2.8	5.5	2.9	10.4	19.5	5.4
Hodgkin lymphoma	1.2	2.6	2.1	1.2	2.5	2.1
Non-Hodgkin lymphomas	10.8	21.7	5.8	8.6	12.9	4.0
Multiple myeloma	2.8	5.6	2.9	4.2	5.8	2.5
Leukemias	8.6	17.3	5.2	5.2	7.5	3.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Flushing - Clearview

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	670.2	501.2	17.0	674.0	379.9	13.1
Oral cavity and pharynx	17.2	12.5	2.6	8.0	4.8	1.5
Esophagus	11.4	8.5	2.2	4.6	2.3	1.0
Stomach	32.0	23.8	3.7	19.6	10.4	2.1
Colorectal	76.0	56.8	5.7	93.0	48.2	4.5
Colon excluding rectum	50.4	37.8	4.7	69.4	35.1	3.8
Rectum & rectosigmoid	25.6	19.0	3.3	23.6	13.1	2.4
Liver / intrahepatic bile duct	25.4	18.6	3.2	9.2	5.2	1.5
Pancreas	18.8	14.0	2.8	20.8	9.9	2.0
Larynx	8.4	6.2	1.9	2.4	1.2	0.7
Lung and bronchus	89.8	67.0	6.2	69.2	36.7	3.9
Melanoma of the skin	14.4	10.8	2.5	12.4	7.6	1.9
Female breast				186.0	109.1	7.1
Cervix uteri				14.6	9.5	2.2
Corpus uterus and NOS				40.6	23.2	3.2
Ovary				24.2	14.6	2.6
Prostate	164.0	121.8	8.4			
Testis	6.2	4.7	1.7			
Urinary bladder (incl. in situ)	56.6	42.6	5.0	14.0	7.2	1.7
Kidney and renal pelvis	24.4	18.1	3.2	12.6	7.2	1.8
Brain and other nervous system	9.6	7.4	2.1	6.4	3.9	1.4
Thyroid	9.6	7.1	2.0	24.6	16.3	2.9
Hodgkin lymphoma	4.8	3.8	1.5	3.4	2.5	1.3
Non-Hodgkin lymphomas	24.0	18.1	3.2	28.8	16.4	2.8
Multiple myeloma	7.4	5.5	1.8	8.0	4.3	1.4
Leukemias	17.2	13.2	2.8	16.4	9.3	2.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Fresh Meadows

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	226.6	483.9	28.3	232.8	380.2	22.2
Oral cavity and pharynx	4.4	9.9	4.1	2.6	4.5	2.4
Esophagus	5.0	10.4	4.1	1.4	1.9	1.5
Stomach	7.6	16.1	5.2	5.4	8.3	3.2
Colorectal	29.4	62.3	10.1	25.8	38.3	6.7
Colon excluding rectum	21.4	45.3	8.6	19.6	28.4	5.7
Rectum & rectosigmoid	8.0	16.9	5.3	6.2	9.8	3.5
Liver / intrahepatic bile duct	8.0	16.9	5.3	3.4	5.2	2.5
Pancreas	5.8	12.2	4.5	6.6	9.7	3.3
Larynx	3.4	7.3	3.5	0.4	0.7	0.9
Lung and bronchus	28.8	61.5	10.1	23.6	36.5	6.7
Melanoma of the skin	6.4	13.1	4.6	6.0	9.8	3.6
Female breast				69.6	117.5	12.5
Cervix uteri				3.6	6.4	3.0
Corpus uterus and NOS				15.8	26.7	5.9
Ovary				8.8	15.1	4.5
Prostate	53.0	115.2	13.9			
Testis	2.6	5.7	3.1			
Urinary bladder (incl. in situ)	16.6	35.1	7.6	5.0	8.1	3.2
Kidney and renal pelvis	10.6	22.3	6.0	8.0	13.0	4.1
Brain and other nervous system	3.6	7.8	3.6	3.2	5.6	2.8
Thyroid	2.6	5.6	3.0	9.2	17.5	5.1
Hodgkin lymphoma	1.2	2.6	2.1	1.2	2.2	1.8
Non-Hodgkin lymphomas	10.4	22.1	6.0	10.8	17.6	4.8
Multiple myeloma	2.0	4.4	2.7	2.0	3.4	2.1
Leukemias	5.4	11.4	4.3	4.0	6.5	3.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Jamaica

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	598.0	523.3	19.0	602.6	358.6	12.9
Oral cavity and pharynx	15.6	12.8	2.9	9.4	5.6	1.6
Esophagus	8.4	7.5	2.3	7.4	4.3	1.4
Stomach	18.2	16.6	3.5	19.4	11.3	2.3
Colorectal	62.0	55.9	6.3	74.8	43.4	4.4
Colon excluding rectum	42.6	38.5	5.2	58.2	33.8	3.9
Rectum & rectosigmoid	19.4	17.5	3.5	16.6	9.6	2.1
Liver / intrahepatic bile duct	14.0	11.5	2.7	7.8	4.7	1.5
Pancreas	12.4	11.1	2.8	17.4	9.8	2.1
Larynx	8.0	6.7	2.1	0.8	0.5	0.5
Lung and bronchus	71.2	64.2	6.8	62.0	36.5	4.1
Melanoma of the skin	3.2	3.0	1.5	2.8	1.6	0.8
Female breast				169.6	102.7	6.9
Cervix uteri				18.0	11.3	2.3
Corpus uterus and NOS				50.6	29.9	3.7
Ovary				18.6	11.2	2.3
Prostate	240.4	208.6	12.0			
Testis	3.0	2.2	1.1			
Urinary bladder (incl. in situ)	23.0	21.6	4.0	9.6	5.5	1.6
Kidney and renal pelvis	18.4	15.8	3.3	12.6	7.5	1.9
Brain and other nervous system	8.0	6.6	2.1	6.8	4.3	1.4
Thyroid	5.0	4.2	1.7	16.6	10.2	2.2
Hodgkin lymphoma	4.6	3.4	1.4	3.6	2.3	1.1
Non-Hodgkin lymphomas	16.4	13.6	3.0	17.0	10.1	2.2
Multiple myeloma	12.0	10.7	2.8	14.0	8.1	1.9
Leukemias	17.2	15.0	3.2	10.6	6.3	1.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006
Long Island City - Astoria

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	400.0	460.5	20.6	410.8	346.1	15.2
Oral cavity and pharynx	9.6	11.0	3.2	6.4	5.4	1.9
Esophagus	5.6	6.5	2.4	2.4	2.1	1.2
Stomach	11.6	13.2	3.5	9.2	7.6	2.2
Colorectal	45.4	53.8	7.1	45.0	36.1	4.8
Colon excluding rectum	33.2	39.8	6.1	35.2	28.2	4.2
Rectum & rectosigmoid	12.2	14.0	3.6	9.8	7.9	2.3
Liver / intrahepatic bile duct	12.0	13.2	3.4	7.0	5.8	1.9
Pancreas	12.0	14.0	3.6	11.8	9.6	2.5
Larynx	7.4	8.3	2.7	1.4	1.2	0.9
Lung and bronchus	58.6	70.3	8.2	40.4	33.5	4.7
Melanoma of the skin	9.8	10.7	3.1	9.0	7.9	2.3
Female breast				107.0	93.1	8.0
Cervix uteri				10.6	9.2	2.5
Corpus uterus and NOS				28.8	24.9	4.1
Ovary				16.2	13.8	3.0
Prostate	93.4	111.3	10.2			
Testis	7.8	5.9	1.9			
Urinary bladder (incl. in situ)	24.2	30.0	5.4	11.0	8.6	2.3
Kidney and renal pelvis	18.2	20.1	4.2	11.2	9.4	2.5
Brain and other nervous system	7.6	7.9	2.6	6.0	5.1	1.9
Thyroid	4.2	3.9	1.7	16.6	14.4	3.1
Hodgkin lymphoma	4.4	4.2	1.8	4.2	3.3	1.4
Non-Hodgkin lymphomas	20.6	22.1	4.4	17.2	14.6	3.1
Multiple myeloma	4.6	5.5	2.3	6.0	4.9	1.8
Leukemias	10.0	11.7	3.3	10.8	9.0	2.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006
Ridgewood - Forest Hills**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	605.2	495.3	17.7	679.4	399.3	13.8
Oral cavity and pharynx	16.0	12.8	2.8	7.2	4.2	1.4
Esophagus	7.6	6.2	2.0	5.6	2.9	1.1
Stomach	20.4	16.6	3.2	13.4	7.6	1.9
Colorectal	78.0	63.9	6.4	81.2	43.3	4.3
Colon excluding rectum	53.2	43.9	5.3	60.2	31.8	3.7
Rectum & rectosigmoid	24.8	20.1	3.5	21.0	11.5	2.3
Liver / intrahepatic bile duct	15.0	11.9	2.7	8.0	4.6	1.5
Pancreas	15.2	12.4	2.8	22.6	11.5	2.2
Larynx	9.4	7.7	2.2	2.0	1.2	0.7
Lung and bronchus	77.8	64.0	6.4	69.0	38.9	4.2
Melanoma of the skin	19.0	15.2	3.1	17.2	10.5	2.3
Female breast				182.6	113.5	7.5
Cervix uteri				13.6	9.6	2.3
Corpus uterus and NOS				51.4	30.8	3.8
Ovary				25.0	15.1	2.7
Prostate	143.6	117.6	8.6			
Testis	6.8	5.1	1.7			
Urinary bladder (incl. in situ)	46.6	38.8	5.0	17.6	9.3	2.0
Kidney and renal pelvis	26.6	21.5	3.7	16.0	9.5	2.1
Brain and other nervous system	10.0	8.4	2.3	7.6	4.9	1.6
Thyroid	9.8	8.0	2.2	22.2	15.3	2.9
Hodgkin lymphoma	3.2	2.6	1.3	3.4	2.7	1.3
Non-Hodgkin lymphomas	25.2	20.5	3.6	30.0	17.0	2.8
Multiple myeloma	6.8	5.6	1.9	8.6	4.9	1.5
Leukemias	19.6	16.4	3.3	17.6	10.4	2.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Rockaway

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	290.8	607.9	31.3	289.0	424.5	22.4
Oral cavity and pharynx	12.8	26.7	6.5	4.0	6.1	2.7
Esophagus	4.6	9.7	4.0	2.8	3.7	2.0
Stomach	7.0	14.9	5.0	6.8	9.1	3.2
Colorectal	27.0	56.8	9.6	34.4	47.9	7.3
Colon excluding rectum	19.6	41.3	8.2	27.6	38.0	6.5
Rectum & rectosigmoid	7.4	15.5	5.0	6.8	9.9	3.4
Liver / intrahepatic bile duct	7.2	15.0	4.9	1.2	1.6	1.3
Pancreas	6.8	14.1	4.7	9.0	12.0	3.6
Larynx	4.8	9.9	4.0	1.8	2.7	1.8
Lung and bronchus	40.4	83.8	11.6	41.2	59.4	8.2
Melanoma of the skin	10.6	22.3	6.0	5.6	8.2	3.1
Female breast				71.2	110.5	11.7
Cervix uteri				8.0	13.5	4.2
Corpus uterus and NOS				22.2	33.5	6.3
Ovary				10.0	14.4	4.1
Prostate	87.4	181.5	17.1			
Testis	1.6	3.6	2.5			
Urinary bladder (incl. in situ)	16.0	33.9	7.4	8.4	11.0	3.5
Kidney and renal pelvis	11.4	24.1	6.3	4.2	5.9	2.6
Brain and other nervous system	3.2	6.4	3.2	3.2	4.7	2.4
Thyroid	2.4	5.0	2.9	7.0	11.5	3.9
Hodgkin lymphoma	0.6	1.3	1.5	1.8	3.3	2.2
Non-Hodgkin lymphomas	9.2	19.3	5.6	12.0	16.8	4.4
Multiple myeloma	4.6	9.8	4.0	4.6	6.6	2.8
Leukemias	7.2	14.8	4.9	4.6	6.2	2.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Southeast Queens

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	489.2	566.5	22.9	461.2	377.0	15.5
Oral cavity and pharynx	10.6	11.9	3.3	6.4	5.2	1.8
Esophagus	5.8	6.9	2.5	2.4	1.9	1.1
Stomach	13.0	15.2	3.8	9.0	7.3	2.1
Colorectal	47.6	57.1	7.4	61.2	49.2	5.5
Colon excluding rectum	33.4	40.7	6.3	44.8	36.0	4.7
Rectum & rectosigmoid	14.2	16.4	3.9	16.4	13.2	2.9
Liver / intrahepatic bile duct	8.6	9.4	2.9	3.2	2.6	1.3
Pancreas	10.6	13.0	3.6	14.6	11.8	2.7
Larynx	3.8	3.9	1.8	1.0	0.8	0.7
Lung and bronchus	50.4	60.3	7.6	50.0	40.0	5.0
Melanoma of the skin	6.6	8.8	3.1	6.2	5.0	1.8
Female breast				128.8	106.0	8.2
Cervix uteri				10.0	8.4	2.3
Corpus uterus and NOS				36.2	29.6	4.3
Ovary				16.0	12.8	2.8
Prostate	208.2	231.2	14.3			
Testis	1.4	1.6	1.2			
Urinary bladder (incl. in situ)	26.0	32.8	5.7	10.0	8.1	2.3
Kidney and renal pelvis	16.0	18.7	4.2	10.6	8.7	2.4
Brain and other nervous system	4.4	4.9	2.1	4.8	4.0	1.6
Thyroid	2.2	2.5	1.5	14.2	12.4	2.9
Hodgkin lymphoma	2.8	3.1	1.6	3.8	3.5	1.6
Non-Hodgkin lymphomas	17.2	20.7	4.4	19.2	15.9	3.2
Multiple myeloma	10.4	12.1	3.4	7.4	5.8	1.9
Leukemias	14.2	16.4	3.9	7.8	6.4	2.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Southwest Queens

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	483.4	454.5	18.6	518.6	363.3	14.0
Oral cavity and pharynx	13.4	11.0	2.7	7.6	5.2	1.7
Esophagus	5.4	4.8	1.9	2.2	1.5	0.9
Stomach	12.8	11.5	2.9	11.6	8.2	2.1
Colorectal	55.6	54.0	6.5	57.4	40.3	4.7
Colon excluding rectum	36.2	36.0	5.4	39.2	27.5	3.9
Rectum & rectosigmoid	19.4	18.0	3.7	18.2	12.8	2.6
Liver / intrahepatic bile duct	11.8	10.2	2.6	6.2	4.4	1.5
Pancreas	12.8	12.4	3.1	15.0	10.5	2.4
Larynx	5.6	5.0	1.9	1.6	1.1	0.8
Lung and bronchus	72.0	70.4	7.4	53.4	37.7	4.5
Melanoma of the skin	5.8	5.6	2.1	7.6	5.3	1.7
Female breast				142.4	99.3	7.3
Cervix uteri				16.0	11.1	2.4
Corpus uterus and NOS				44.2	31.0	4.1
Ovary				21.2	15.0	2.9
Prostate	129.8	123.1	9.7			
Testis	4.2	2.9	1.3			
Urinary bladder (incl. in situ)	32.6	33.2	5.2	13.6	9.6	2.3
Kidney and renal pelvis	23.2	20.4	3.8	11.4	8.2	2.1
Brain and other nervous system	8.8	7.9	2.4	7.4	5.2	1.7
Thyroid	5.0	4.2	1.7	19.2	13.5	2.7
Hodgkin lymphoma	3.6	2.7	1.3	3.4	2.5	1.2
Non-Hodgkin lymphomas	23.2	20.1	3.7	19.2	13.6	2.7
Multiple myeloma	7.2	6.8	2.3	7.0	4.8	1.6
Leukemias	13.2	12.4	3.1	11.2	7.8	2.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

West Queens

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	775.6	434.9	14.1	808.2	336.8	10.4
Oral cavity and pharynx	18.8	9.9	2.1	10.2	4.2	1.2
Esophagus	8.6	5.2	1.6	3.8	1.7	0.8
Stomach	31.8	17.5	2.8	23.0	9.4	1.7
Colorectal	87.2	50.6	4.9	103.6	42.4	3.7
Colon excluding rectum	61.4	36.2	4.2	73.4	30.0	3.1
Rectum & rectosigmoid	25.8	14.4	2.6	30.2	12.4	2.0
Liver / intrahepatic bile duct	28.0	14.7	2.5	9.6	4.0	1.1
Pancreas	20.4	12.2	2.4	22.2	9.0	1.7
Larynx	9.8	5.5	1.6	2.6	1.1	0.6
Lung and bronchus	106.6	63.0	5.5	78.4	32.9	3.3
Melanoma of the skin	10.2	5.8	1.6	13.2	5.5	1.3
Female breast				222.8	93.7	5.5
Cervix uteri				24.4	10.2	1.8
Corpus uterus and NOS				46.2	19.3	2.5
Ovary				31.6	13.2	2.1
Prostate	213.2	123.2	7.6			
Testis	11.6	4.3	1.1			
Urinary bladder (incl. in situ)	39.8	24.5	3.5	17.2	7.1	1.5
Kidney and renal pelvis	22.2	11.6	2.2	15.2	6.4	1.4
Brain and other nervous system	15.4	7.0	1.6	12.2	5.0	1.3
Thyroid	8.6	3.9	1.2	36.4	15.1	2.2
Hodgkin lymphoma	6.2	2.5	0.9	4.8	2.1	0.9
Non-Hodgkin lymphomas	38.8	19.9	2.9	31.4	13.2	2.1
Multiple myeloma	9.6	5.9	1.7	13.2	5.5	1.3
Leukemias	24.4	13.1	2.4	15.8	6.6	1.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006
Richmond (Staten Island)

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	1178.4	573.9	15.0	1180.2	443.1	11.4
Oral cavity and pharynx	30.6	14.1	2.3	17.6	6.5	1.4
Esophagus	13.0	6.3	1.6	7.0	2.6	0.9
Stomach	27.0	13.7	2.4	17.8	6.6	1.4
Colorectal	125.6	63.5	5.1	121.4	44.7	3.6
Colon excluding rectum	86.4	44.1	4.3	92.6	34.0	3.1
Rectum & rectosigmoid	39.2	19.4	2.8	28.8	10.7	1.8
Liver / intrahepatic bile duct	27.8	13.4	2.3	9.4	3.4	1.0
Pancreas	29.8	14.7	2.4	33.2	12.2	1.9
Larynx	17.6	8.1	1.7	5.4	2.0	0.8
Lung and bronchus	172.6	87.1	6.0	151.6	56.6	4.0
Melanoma of the skin	31.4	14.9	2.4	28.2	10.7	1.8
Female breast				332.8	125.6	6.1
Cervix uteri				24.8	9.5	1.7
Corpus uterus and NOS				76.2	28.1	2.8
Ovary				28.6	10.6	1.8
Prostate	313.0	148.5	7.5			
Testis	13.2	5.7	1.4			
Urinary bladder (incl. in situ)	87.2	45.6	4.4	31.4	11.7	1.8
Kidney and renal pelvis	52.2	23.9	3.0	27.0	10.2	1.7
Brain and other nervous system	17.6	8.0	1.7	14.4	5.7	1.3
Thyroid	19.0	8.1	1.6	55.4	21.6	2.6
Hodgkin lymphoma	9.8	4.3	1.2	7.4	3.1	1.0
Non-Hodgkin lymphomas	56.8	27.1	3.2	50.0	18.9	2.4
Multiple myeloma	14.4	7.5	1.8	15.4	5.7	1.3
Leukemias	29.2	14.2	2.4	26.6	10.2	1.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006
Port Richmond**

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	139.4	605.0	45.9	135.4	435.5	32.9
Oral cavity and pharynx	3.8	16.1	7.4	1.8	5.6	3.7
Esophagus	1.6	6.8	4.9	0.4	1.2	1.7
Stomach	4.0	18.5	8.2	3.4	10.6	5.0
Colorectal	15.8	69.3	15.6	15.2	47.7	10.8
Colon excluding rectum	10.6	47.0	12.9	12.2	38.2	9.6
Rectum & rectosigmoid	5.2	22.3	8.8	3.0	9.4	4.8
Liver / intrahepatic bile duct	4.2	16.9	7.3	1.4	4.4	3.3
Pancreas	2.4	9.2	5.2	3.6	11.8	5.5
Larynx	2.4	10.3	6.0	0.6	1.9	2.2
Lung and bronchus	20.4	92.4	18.3	16.8	54.9	11.8
Melanoma of the skin	2.0	9.0	5.7	3.0	9.6	4.9
Female breast				37.2	120.1	17.3
Cervix uteri				4.2	13.3	5.7
Corpus uterus and NOS				7.6	24.8	7.9
Ovary				3.4	11.0	5.2
Prostate	38.6	168.5	24.2			
Testis	1.8	5.9	3.8			
Urinary bladder (incl. in situ)	7.8	37.2	11.9	2.8	9.3	4.9
Kidney and renal pelvis	5.4	22.1	8.5	3.8	12.7	5.7
Brain and other nervous system	1.8	7.2	4.8	1.8	5.9	3.9
Thyroid	1.4	5.1	3.8	6.4	20.4	7.1
Hodgkin lymphoma	0.6	1.9	2.2	0.6	1.9	2.1
Non-Hodgkin lymphomas	6.4	27.2	9.7	3.4	11.0	5.2
Multiple myeloma	1.6	6.9	4.9	1.4	4.5	3.3
Leukemias	4.2	16.1	7.1	3.0	9.6	4.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

South Beach - Tottenville

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	519.6	618.2	24.8	505.4	474.3	18.6
Oral cavity and pharynx	13.0	14.5	3.7	7.2	6.6	2.2
Esophagus	5.6	6.5	2.5	1.8	1.7	1.1
Stomach	11.0	14.3	4.1	6.2	5.9	2.1
Colorectal	54.6	69.2	8.6	44.0	42.0	5.6
Colon excluding rectum	36.2	46.8	7.1	31.2	29.7	4.7
Rectum & rectosigmoid	18.4	22.4	4.8	12.8	12.3	3.0
Liver / intrahepatic bile duct	10.2	12.4	3.5	3.6	3.4	1.6
Pancreas	13.4	16.6	4.2	12.8	12.2	3.0
Larynx	6.6	7.0	2.5	1.6	1.5	1.0
Lung and bronchus	75.0	93.1	9.8	68.8	63.4	6.7
Melanoma of the skin	17.0	19.5	4.3	13.8	13.0	3.1
Female breast				148.4	138.1	10.0
Cervix uteri				8.0	7.7	2.4
Corpus uterus and NOS				31.4	28.5	4.5
Ovary				12.4	11.3	2.8
Prostate	134.2	153.6	12.0			
Testis	5.2	5.5	2.1			
Urinary bladder (incl. in situ)	42.2	53.3	7.5	13.8	13.1	3.1
Kidney and renal pelvis	26.6	29.5	5.1	12.2	11.4	2.9
Brain and other nervous system	7.6	8.1	2.7	7.2	7.0	2.3
Thyroid	9.6	10.0	2.9	26.4	25.6	4.4
Hodgkin lymphoma	4.4	4.8	2.1	3.8	3.9	1.8
Non-Hodgkin lymphomas	27.4	31.8	5.6	25.0	23.8	4.2
Multiple myeloma	6.6	8.2	3.0	5.2	4.8	1.8
Leukemias	11.2	14.0	3.9	12.4	12.2	3.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Stapleton - St. George

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	294.8	558.3	28.8	296.6	421.6	21.7
Oral cavity and pharynx	10.2	18.6	5.2	3.6	5.1	2.4
Esophagus	4.6	8.9	3.7	3.2	4.7	2.3
Stomach	8.4	16.2	5.0	5.0	6.8	2.7
Colorectal	28.8	55.5	9.2	35.8	47.7	7.1
Colon excluding rectum	19.2	37.2	7.5	27.6	36.6	6.2
Rectum & rectosigmoid	9.6	18.3	5.2	8.2	11.1	3.5
Liver / intrahepatic bile duct	8.2	15.3	4.8	2.4	3.4	1.9
Pancreas	9.0	17.2	5.1	8.0	11.0	3.5
Larynx	5.4	9.9	3.8	2.2	3.2	1.9
Lung and bronchus	43.0	83.9	11.3	35.8	51.0	7.5
Melanoma of the skin	5.4	10.0	3.8	5.2	7.3	2.9
Female breast				79.6	115.8	11.5
Cervix uteri				7.6	11.1	3.6
Corpus uterus and NOS				21.6	30.5	5.8
Ovary				7.0	10.2	3.4
Prostate	79.0	148.3	14.8			
Testis	3.6	5.9	2.7			
Urinary bladder (incl. in situ)	19.2	38.9	7.9	7.6	10.2	3.3
Kidney and renal pelvis	10.6	19.4	5.3	5.0	6.9	2.7
Brain and other nervous system	5.6	10.1	3.8	3.4	5.3	2.5
Thyroid	3.0	5.1	2.6	10.8	16.3	4.4
Hodgkin lymphoma	3.0	5.4	2.8	1.6	2.6	1.8
Non-Hodgkin lymphomas	13.0	23.8	5.8	12.2	17.5	4.4
Multiple myeloma	4.0	8.2	3.6	4.8	6.7	2.7
Leukemias	8.2	15.0	4.6	5.4	8.0	3.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry
Cancer Incidence by United Hospital Fund Neighborhood and Gender, 2002-2006**

Willowbrook

Site of cancer	Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	224.8	542.5	32.4	243.0	437.3	24.9
Oral cavity and pharynx	3.6	7.6	3.6	5.0	8.7	3.5
Esophagus	1.2	2.7	2.2	1.6	2.8	2.0
Stomach	3.6	8.9	4.2	3.2	5.5	2.7
Colorectal	26.4	65.5	11.4	26.4	44.1	7.6
Colon excluding rectum	20.4	50.6	10.1	21.6	36.2	6.9
Rectum & rectosigmoid	6.0	14.9	5.4	4.8	7.9	3.2
Liver / intrahepatic bile duct	5.4	13.0	5.0	2.0	3.2	2.0
Pancreas	5.0	13.0	5.2	8.8	14.9	4.5
Larynx	3.2	7.8	3.9	1.0	2.1	1.8
Lung and bronchus	34.2	85.1	13.0	30.2	54.0	8.7
Melanoma of the skin	6.8	16.2	5.5	6.2	11.0	3.9
Female breast				67.6	124.3	13.4
Cervix uteri				5.0	9.5	3.8
Corpus uterus and NOS				15.8	28.1	6.3
Ovary				5.8	10.7	3.9
Prostate	61.2	141.2	16.2			
Testis	2.6	6.1	3.3			
Urinary bladder (incl. in situ)	18.0	46.4	9.8	7.2	12.3	4.1
Kidney and renal pelvis	9.6	21.5	6.2	6.0	11.3	4.1
Brain and other nervous system	2.6	6.4	3.5	2.0	3.7	2.3
Thyroid	5.0	10.9	4.3	11.8	23.0	6.0
Hodgkin lymphoma	1.8	4.0	2.6	1.4	3.1	2.3
Non-Hodgkin lymphomas	10.2	24.6	6.9	9.4	17.2	5.0
Multiple myeloma	2.2	5.8	3.4	4.0	6.8	3.0
Leukemias	5.6	14.1	5.3	5.8	10.4	3.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, November 2008. Rates based on fewer than 4 cases per year are unstable and should be used with caution. NOS=Not otherwise specified.